

KANSAINVÄLISET REFEROIDUT JULKAISUT 2009

Aakala, T., Kuuluvainen, T., Wallenius, T. & Kauhanen, H. Contrasting patterns of tree mortality in late-successional *Picea abies* stands in two areas in northern Fennoscandia. *Journal of Vegetation Science* 20: 1016-1026.

Adamczyk, B., Godlewski, M., Smolander, A. & Kitunen, V. Degradation of proteins by enzymes exuded by *Allium porrum* roots - A potentially important strategy for acquiring organic nitrogen by plants. *Plant Physiology and Biochemistry* 47: 919-925.

Adamczyk, B., Kitunen, V. & Smolander, A. Polyphenol oxidase, tannase and proteolytic activity in relation to tannin concentration in the soil organic horizon under silver birch and Norway spruce. *Soil Biology & Biochemistry* 41: 2085-2093.

Aphalo, P.J., Vapaavuori, E.M., de la Rosa, T.M. & Lehto, T. Does supplemental UV-B radiation affect gas exchange and RuBisCO activity of *Betula pendula* Roth seedlings grown in forest soil under greenhouse conditions? *Plant Ecology & Diversity* 2: 37-43.

Aro, L., Ikonen, A. & Helin, J. Concentration ratios for chemical analogues of key nuclides for different vegetation types at the Olkiluoto site. *Radioprotection* 44(5): 553-558.

Aronen, T., Pehkonen, T. & Ryyänen, L. Enhancement of somatic embryogenesis from immature zygotic embryos of *Pinus sylvestris*. *Scandinavian Journal of Forest Research* 24: 372-383.

Asante, D.K.A., Yakovlev, I.A., Fossdal, C.G., Timmerhaus, G., Partanen, J. & Johnsen, Ø. Effect of bud burst forcing on transcript expression of selected genes in needles of Norway spruce during autumn. *Plant Physiology and Biochemistry* 47(8): 681-689.

von Bargen, S., Grubits, E., Jalkanen, R. & Büttner, C. Cherry leaf roll virus - an emerging virus in Finland? *Silva Fennica* 43(5): 727-738.

Blasdell, K., Herbreteau, V., Henttonen, H., Phonekeo, D., Hugot J.-P. & Buchy, P. Rodent-borne zoonotic viruses in Southeast Asia. *Kasetsart Journal (Nat. Sci.)* 43(1): 94-105.

Borrega, M., Nevalainen, S. & Heräjärvi, H. Resistance of European and hybrid aspen wood against two brown-rot fungi. *Holz als Roh- und Werkstoff* 67(2): 177-182.

Caron, M.-N., Kneeshaw, D.D., De Grandpré, L., Kauhanen, H. & Kuuluvainen, T. Canopy gap characteristics and disturbance dynamics in old-growth *Picea abies* stands in northern Fennoscandia: Is the forest in quasi-equilibrium? *Annales Botanici Fennici* 46(4): 251-262.

de Chantal, M., Lilja-Rothsten, S., Peterson, C., Kuuluvainen, T., Vanha-Majamaa, I. & Puttonen, P. Tree regeneration before and after restoration treatments in managed boreal *Picea abies* stands. *Applied Vegetation Science* 12(2): 131-143.

Derome, J., Saarsalmi, A. & Kukkola, M. Effects of nitrogen and sulphur "stress"

treatment on soil acidity and growth response of a Scots pine stand. *Boreal Environment Research* 14: 861-874.

Domisch, T., Finér, L., Neuvonen, S., Niemelä, P., Risch, A.C., Kilpeläinen, J., Ohashi, M. & Jurgensen, M.F. Foraging activity and dietary spectrum of wood ants (*Formica rufa* group) and their role in nutrient fluxes in boreal forests. *Ecological Entomology* 34(3): 369-377.

Eerikäinen, K. A multivariate linear mixed-effects model for the generalization of sample tree heights and crown ratios in the Finnish National Forest Inventory. *Forest Science* 55(6): 480-493.

Eskelinen, A., Stark, S. & Männistö, M. Links between plant community composition, soil organic matter quality and microbial communities in contrasting tundra habitats. *Oecologia* 161(1): 113-123.

Favada, I.M., Karppinen, H., Kuuluvainen, J., Mikkola, J. & Stavness, C. Effects of timber prices, ownership objectives, and owner characteristics on timber supply. *Forest Science* 55(6): 512-523.

Ferretti, M., König, N., Rautio, P. & Sase, H. Quality assurance (QA) in international forest monitoring programmes: activity, problems and perspectives from East Asia and Europe. *Annals of Forest Science* 66(4). 403p1-p12.

Gerasimov, Ju., Karvinen, S., Sjunjev, V., Sokolov, A. & Katarov, V. Razvitie transportnoj infrastruktury lesnoj otrasli - opyt Finljandii (Development of wood transport infrastructure - Finnish experience). *Transportnoje delo Rossii - Transport business in Russia* 7(68): 99-102.

Gerasimov, Y. & Sokolov, A. Ergonomic characterization of harvesting work in Karelia. *Croatian Journal of Forest Engineering* 30(2): 159-170.

Gort, J., Zubizarreta Gerendiain, A., Peltola, H., Pulkkinen, P., Routa, J. & Jaatinen, R. Differences in fibre properties in Scots pine (*Pinus sylvestris* L.) genetic entries grown at different spacing and sites. *Silva Fennica* 43(3): 355-368.

Gschwantner, T., Schadauer, K., Vidal, C., Lanz, A., Tomppo, E., di Cosmo, L., Robert, N., Englert Duursma, D. & Lawrence, M. Common tree definitions for National Forest Inventories in Europe. *Silva Fennica* 43(2): 303-321.

Halme, P., Kotiaho, J.S., Ylisirniö, A.-L., Hottola, J., Junninen, K., Kouki, J., Lindgren, M., Mönkkönen, M., Penttilä, R., Renvall, P., Siitonen, J. & Similä, M. Perennial polypores as indicators of annual and red-listed polypores. *Ecological Indicators* 9(2): 256-266.

Haltia, E., Kuuluvainen, J., Ovaskainen, V., Pouta, E. & Rekola, M. Logit model assumptions and estimated willingness to pay for forest conservation in southern Finland. *Empirical Economics* 37(3): 681-691.

Hamberg, L., Malmivaara-Lämsä, M., Lehvävirta, S. & Kotze, D. J. The effects of soil

fertility on the abundance of rowan (*Sorbus aucuparia* L.) in urban forests. *Plant Ecology* 204: 21-32.

Hantula, J., Kurkela, T., Hendry, S. & Yamaguchi, T. Morphological measurements and ITS sequences show that the new alder rust in Europe is conspecific with *Melampsorium hiratsukanum* in eastern Asia. *Mycologia* 101(5): 622-631.

Hari, P. & Nöjd, P The effect of temperature and PAR on the annual photosynthetic production of Scots pine in northern Finland during 1906-2002. *Boreal Environment Research* 14 (suppl. A): 5-18.

Harju, A., Venäläinen, M., Laakso, T. & Saranpää, P. Wounding response in xylem of Scots pine seedlings show wide genetic variation and connection with the constitutive defence of heartwood. *Tree Physiology* 29(1): 19-25.

Hartikainen, K., Nerg A.-M., Kivimäenpää, M., Kontunen-Soppela, S., Mäenpää, M., Oksanen, E., Rousi, M. & Holopainen, T. Emissions of volatile organic compounds and leaf structural characteristics of European aspen (*Populus tremula*) grown under elevated ozone and temperature. *Tree Physiology* 29: 1163-1173.

Haukisalmi, V. A taxonomic revision of the genus *Anoplocephaloides* Baer, 1923 sensu Rausch (1976), with the description of four new genera (Cestoda: Anoplocephalidae). *Zootaxa* 2057: 1-31.

Haukisalmi, V., Hardman, L.M., Henttonen, H., Laakkonen, J., Niemimaa, J., Hardman, M. & Gubányi, A. Molecular systematics and morphometrics of *Anoplocephaloides dentata* (Cestoda, Anoplocephalidae) and related species in voles and lemmings. *Zoologica Scripta* 38(1): 199-220.

Haukisalmi, V., Henttonen, H., Hardman, L.M., Hardman, M., Laakkonen, J., Murueva, G., Niemimaa, J., Shulunov, S. & Vapalahti, O. Review of tapeworms of rodents in the Republic of Buryatia, with emphasis on anoplocephalid cestodes. *ZooKeys* 8: 1-18.

Heikkilä, J., Sirén, M., Ahtikoski, A., Hynynen, J., Sauvula, T. & Lehtonen, M. Energy wood thinning as a part of the stand management of Scots pine and Norway spruce. *Silva Fennica* 43(1): 129-146.

Heiskanen, J., Lahti, M., Luoranen, J. & Rikala, R. Nutrient loading has a transitory effect on the nitrogen status and growth of outplanted Norway spruce seedlings. *Silva Fennica* 43(2): 249-260.

Helama S., Makarenko N.G., Karimova L.M., Kruglun O.A., Timonen M., Holopainen, J., Meriläinen J. & Eronen M. Dendroclimatic transfer functions revisited: Little Ice Age and Medieval Warm Period summer temperatures reconstructed using artificial neural networks and linear algorithms. *Annales Geophysicae* 27: 1097-1111.

Helama, S., Timonen, M., Holopainen, J., Ogurtsov, M.G., Mielikäinen, K., Eronen, M., Lindholm, M. & Meriläinen, J. Summer temperature variations in Lapland during the Medieval Warm Period and the Little Ice Age relative to natural instability of thermohaline circulation on multi-decadal and multi-centennial scales. *Journal of*

Quaternary Science 24(5): 450-456.

Hellström K., Huhta A.-P., Rautio P. & Tuomi J. Seed introduction and gap creation facilitate restoration of meadow species richness. *Journal for Nature Conservation* 17: 236-244.

Helmisaari H.-S., Saarsalmi, A. & Kukkola, M. Effects of wood ash and nitrogen fertilization on fine root biomass and soil and foliage nutrients in a Norway spruce stand in Finland. *Plant and Soil* 314: 121-132.

Helmisaari, H.-S., Ostonen, I., Lohmus, K., Derome, J., Lindroos, A.-J., Merilä, P. & Nöjd, P. Ectomycorrhizal root tips in relation to site and stand characteristics in Norway spruce and Scots pine stands in boreal forests. *Tree Physiology* 29(3): 445-456.

Henttonen, H.M., Mäkinen, H. & Nöjd, P. Seasonal dynamics of wood formation of Scots pine and Norway spruce in southern and central Finland. *Canadian Journal of Forest Research* 39(3): 606-618.

den Herder, M., Bergström, R., Niemelä, P., Danell, K. & Lindgren, M. Effects of natural winter browsing and simulated summer browsing by moose on growth and shoot biomass of birch and its associated invertebrate fauna. *Annales Zoologici Fennici* 46(1): 63-74.

Heräjärvi, H. Effect of drying technology on aspen wood properties. *Silva Fennica* 43(3): 433-445.

Hiltunen, V., Kurttila, M., Leskinen, P., Pasanen, K. & Pykäläinen, J. Mesta: An internet-based decision-support application for participatory strategic-level natural resources planning. *Forest Policy and Economics* 11: 1-9.

Hirano, Y., Noguchi, K., Ohashi, M., Hishi, T., Makita, N., Fujii, S. & Finér, L. New method for placing and lifting root meshes for estimating fine root production in forest ecosystems. *Plant Root* 3: 26-31.

Hokajärvi, R., Hujala, T., Leskinen, L.A. & Tikkanen, J. Effectiveness of sermon policy instruments: forest management planning practices applying the activity theory approach. *Silva Fennica* 43(5): 889-906.

Holopainen, J.K., Heijari, J., Nerg, A.-M., Vuorinen, M. & Kainulainen, P. Potential for the use of exogenous chemical elicitors in disease and insect pest management of conifer seedling production. *The Open Forest Science Journal* 2: 17-24.

Holopainen, M., Haapanen, R., Karjalainen, M., Vastaranta, M., Hyypä, J. Yu, X., Tuominen, S. & Hyypä, H. Combination of low pulse ALS data and TerraSar-X radar images in the estimation of plot-level forest variables. In: Bretar, F., Pierrot-Deseilligny, M. & Vosselman, G. (eds.). *Proceedings Laserscanning 09. The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science* 38(Part 3 / W8 (Book + CD): 135-140.

Holopainen, M., Tuominen, S., Karjalainen M., Hyypä, J., Vastaranta, M. & Hyypä, H. Accuracy of high-resolution radar images in the estimation of plot-level forest variables.

In: Sester, M., Bernard, L. & Paelke, V. (eds.). *Advances in GIScience. Lecture Notes in Geoinformation and Cartography* 1.6.2009: 67-82.

Hoset, K.S., Koivisto, E., Huitu, O., Ylönen, H. & Korpimäki, E. Multiple predators induce risk reduction in coexisting vole species. *Oikos* 118: 1421-1429.

Huhta, A.-P., Saari, M., Hellström, K., Rautio, P. & Tuomi, J. Tolerance of a perennial herb, *Pimpinella saxifraga*, to simulated flower herbivory and grazing: immediate repair of injury or postponed reproduction? *Plant Ecology* 201: 599-609.

Huitu, O., Kiljunen, N., Korpimäki, E., Koskela, E., Mappes, T., Pietiäinen, H., Pöysä, H. & Henttonen, H. Density-dependent vole damage in silviculture and associated economic losses at a nationwide scale. *Forest Ecology and Management* 258: 1219-1224.

Hujala, T., Tikkanen, J., Hänninen, H. & Virkkula, O. Family forest owners' perception of decision support. *Scandinavian Journal of Forest Research* 24(5): 448-460.

Huotari, N., Tillman-Sutela, E. & Kubin, E. Ground vegetation exceeds tree seedlings in early biomass production and carbon stock on an ash-fertilized cut-away peatland. *Biomass & Bioenergy* 33(9): 1108-1115.

Hytönen, J. & Saarsalmi, A. Long-term biomass production and nutrient uptake of birch, alder and willow plantations on cut-away peatland. *Biomass & Bioenergy* 33(9): 1197-1211.

Häggman, H., Pirttilä, A.M., Niemi, K., Sarjala, T. & Julkunen-Tiitto, R. Medicinal properties, in vitro protocols and secondary metabolite analyses of Scots pine. In: Mohan Jain, S. & Saxena, P.K. (eds.). *Methods in Molecular Biology, Protocols for In Vitro Cultures and Secondary Metabolite Analyses of Aromatic and Medicinal Plants. Methods in Molecular Biology* 547: 35-52.

Häikiö, E., Makkonen, M., Julkunen-Tiitto, R., Sitte, J., Freiwald, V., Silfver, T., Pandey, V., Beuker, E., Holopainen, T. & Oksanen, E. Performance and secondary chemistry of two hybrid aspen (*Populus tremula* L. x *Populus tremuloides* Michx.) clones in long-term elevated ozone exposure. *Journal of Chemical Ecology* 38: 664-678.

Hänninen, H., Luoranen, J., Rikala, R. & Smolander, H. Late termination of freezer storage increases the risk of autumn frost damage to Norway spruce seedlings. *Silva Fennica* 43(5): 817-830.

Härkönen, S. & Heikkilä, R. The use of birch tar in the prevention of moose damage in young Scots pine stands. *Estonian Journal of Ecology* 58(1): 53-59.

Härkönen, S., Pulkkinen, A. & Heräjärvi, H. Wood quality of birch (*Betula* spp.) trees damaged by moose. *Alces* 45: 67-72.

Islam, Md.N., Kurttila, M., Mehtätalo, L. & Haara, A. Analyzing the effects of inventory errors on holding-level forest plans: the case of measurement error in the basal area of the dominated tree species. *Silva Fennica* 43(1): 71-85.

Juutinen, S., Rantakari, M., Kortelainen, P., Huttunen, J.T., Larmola, T., Alm, J., Silvola, J. & Martikainen, P.J. Methane dynamics in different boreal lake types. *Biogeosciences* 6(2): 209-223.

Kaakinen, S., Piispanen, R., Lehto, S., Metsometsä, J., Nilsson, U., Saranpää, P., Linder, S. & Vapaavuori, E. Growth, wood chemistry, and fibre length of Norway spruce in a long-term nutrient optimization experiment. *Canadian Journal of Forest Research* 39(2): 410-419.

Kainulainen, T., Leskinen, P., Korhonen, P., Haara, A. & Hujala, T. A statistical approach to assessing interval scale preferences in discrete choice problems. *Journal of the Operational Research Society* 60: 252-258.

Kaitera, J., Tillman-Sutela, E. & Kauppi, A. Cone bagging hinders cone and rust development of *Picea abies*. *Baltic Forestry* 15(1): 28-32.

Kaitera, J., Tillman-Sutela, E. & Kauppi, A. Seasonal fruiting and sporulation of *Thekopsora* and *Chrysomyxa* cone rusts in Norway spruce cones and alternate hosts in Finland. *Canadian Journal of Forest Research* 39(9): 1630-1646.

Kallio, E.R., Begon, M., Henttonen, H., Koskela, E., Mappes, T., Vaheri, A. & Vapalahti, O. Cyclic hantavirus epidemics in humans - predicted by rodent host dynamics. *Epidemics* 1: 101-107.

Kangas, H.-L., Lintunen, J. & Uusivuori, J. The cofiring problem of a power plant under policy regulations. *Energy Policy* 37(5): 1898-1904.

Kangas, K., Tolvanen, A., Kälkälä, T. & Siikamäki, P. Ecological impacts of revegetation and management practices of ski slopes in Northern Finland. *Environmental Management* 44(3): 408-419.

Kankaanhuhta, V., Saksa, T. & Miina, J. Quality management of forest regeneration service processes. In: Fournier, Mathéo, V. (ed.). *Forest Regeneration: Ecology, Management and Economics*. Nova Science Publishers, Inc. New York. p. 1-29.

Kankaanhuhta, V., Saksa, T. & Smolander, H. Variation in the results of Norway spruce planting and Scots pine direct seeding in privately-owned forests in southern Finland. *Silva Fennica* 43(1): 51-70.

Kantola, A., Song, T., Usenius, A. & Heikkilä, A. Simulated yield and quality distribution of sawn timber from final felling in a Norway spruce [*Picea abies* (L.) Karst.] stand with varying thinning regimes: A case study. *Wood Material Science and Engineering* 4(3 & 4): 87-97.

Karlsen, S.R., Høgda, K.A., Wielgolaski, F.E., Tolvanen, A., Tømmervik, H., Poikolainen, J. & Kubin, E. Growing-season trends in Fennoscandia 1982-2006, determined from satellite and phenology data. *Climate Research* 39(1): 275-286.

Katerere, Y., Minang, P.A. & Vanhanen, H. (eds.) *Making Sub-Saharan forests work for people and nature - Policy approaches in a changing global environment*. Nairobi, Kenya.

Kauppi, P., Rautiainen, A., Lehtonen, A. & Saikku L. Carbon sequestration in forest trees of the EU as affected by long-term changes of land use. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* 4(41): 1-14.

Kilpeläinen, J., Finér, L., Neuvonen, S., Niemelä, P., Domisch, T., Risch, A.C., Jurgensen, M., Ohashi, M. & Sundström, L. Does the mutualism between wood ants (*Formica rufa* group) and *Cinara* aphids affect Norway spruce growth? *Forest Ecology and Management* 257: 238-243.

Kostiainen, K., Kaakinen, S., Saranpää, P., Sigurdsson, B.D., Lundqvist, S.-O., Linder, S. & Vapaavuori, E. Stem wood properties of mature Norway spruce after 3 years of continuous exposure to elevated [CO₂] and temperature. *Global Change Biology* 15: 368-379.

Kotilainen, T., Haimi, J., Tegelberg, R., Julkunen-Tiitto, R., Vapaavuori, E. & Aphalo, P.J. Solar UV radiation alters alder and birch litter chemistry that in turn affects decomposers and soil respiration. *Oecologia* 161(4): 710-728.

Kotilainen, T., Venäläinen, T., Tegelberg, R., Lindfors, A., Julkunen-Tiitto, R., Sutinen, S., O'Hara, R.B. & Aphalo, P.J. Assessment of UV biological spectral weighting functions for phenolic metabolites and growth responses in silver birch seedlings. *Photochemistry and Photobiology* 85: 1346-1355.

Kumar, M., Saranpää, P., Barnett, J.R. & Wilkinson, M.J. Juvenile-mature wood transition in pine: correlation between wood properties and candidate gene expression profiles. *Euphytica* 166(3): 341-355.

Kurkela, T., Drenkhan, R., Vuorinen, M. & Hanso, M. Growth response of young Scots pines to needle loss assessed from productive foliage. *Forestry Studies* 50(1): 5-22.

Kurtila, M., Muinonen, E., Leskinen, P., Kilpeläinen, H. & Pykäläinen, J. An approach for examining the effects of preferential uncertainty on the contents of forest management plan at stand and holding level. *European Journal of Forest Research* 128: 37-50.

Laine, J., Minkkinen, K. & Trettin, C. Direct human impacts on the peatland carbon sink. In: Baird, A.J., Belyea, L.R., Comas, X., Reeve, A.S. & Slater, L.D. (eds.). *Geophysical Monograph 184: Carbon cycling in northern peatlands*. American Geophysical Union, Washington D.C. p. 71-78.

Laitila, J., Kärhä, K., & Jylhä, P. Time consumption models and parameters for off- and on-road transportation of whole-tree bundles. *Baltic Forestry* 15: 105-114.

Landauer, M., Sievänen, T. & Neuvonen, M. Adaptation of Finnish cross-country skiers to climate change. *Fennia* 187(2): 99-113.

Laurén, A., Heinonen, J., Koivusalo, H., Sarkkola, S., Tattari, S., Mattsson, T., Ahtiainen, M., Joensuu, S., Kokkonen, T. & Finér, L. 2009. Implications of uncertainty in pre-treatment dataset on estimation of treatment effects from paired catchment studies: loads

of phosphorus from forest clear-cuts. *Water, Air, and Soil Pollution* 196: 251-261.

Lehikoinen, A., Byholm, P., Ranta, E., Saurola, P., Valkama, J., Korpimäki, E., Pietiäinen, H. & Henttonen, H. Timing of breeding and breeding success of common buzzards at its northern range margin under climate change. *Oikos* 118: 829-836.

Lehtomäki, J., Tomppo, E., Kuokkanen, P., Hanski, I. & Moilanen, A. Applying spatial conservation prioritization software and high-resolution GIS data to a national-scale study in forest conservation. *Forest Ecology and Management* 258: 2439-2449.

Leskinen, P., Hujala, T., Tikkanen, J., Kainulainen, T., Kangas, A., Kurttila, M., Pykäläinen, J. & Leskinen, L. Adaptive decision analysis in forest management planning. *Forest Science* 55(2): 95-108.

Leskinen, P., Miina, J., Mehtätalo, L. & Kangas, A. Model correlation in stochastic forest simulators - a case of multilevel multivariate model for seedling establishment. *Ecological Modelling* 220(4): 545-555.

Levanic, T., Gricar, J., Gagen, M., Jalkanen, R., Loader, N., McCarroll, D., Oven, P. & Robertson, I. The climate sensitivity of Norway spruce (*Picea abies* (L.) Karst.) in the southern European Alps. *Trees - Structure and Function* 23(1): 169-180.

Lilley, T., Laaksonen, T., Huitu, O. & Helle, S. Digit length ratio (2D/4D): comparing measurements from X-rays and photographs in field voles (*Microtus agrestis*). *Behavioural Ecology and Sociobiology* 63: 1539-1547.

Lindholm, M., Jalkanen, R. & Salminen, H. High-frequency reconstruction of mid-summer temperature from annual height increment of Scots pine at the northern timberline since 1846. *Dendrochronologia* 27(2): 113-119.

Lindholm, M., Ogurtsov, M., Aalto, T., Jalkanen, R. & Salminen, H. A summer temperature proxy from height increment of Scots pine since 1561 at the northern timberline in Fennoscandia. *The Holocene* 19(8): 1131-1138.

Linkosalo, T., Häkkinen, R., Terhivuo, J., Tuomenvirta, H. & Hari, P. The time series of flowering and leaf bud burst of boreal trees (1846-2005) support the direct temperature observations of climatic warming. *Agricultural and Forest Meteorology* 149: 453-461.

Linnakoski, R., de Beer, Z.W., Rousi, M., Solheim, H. & Wingfield, M.J. *Ophiostoma denticiliatum* sp. nov. and other *Ophiostoma* species associated with the birch bark beetle in southern Norway. *Persoonia* 23: 9-15.

Lukkarinen, A.J., Ruotsalainen, S., Nikkanen, T. & Peltola, H. The growth rhythm and height growth of seedlings of Siberian (*Larix sibirica* Ledeb.) and Dahurian (*Larix gmelinii* Rupr.) larch provenances in greenhouse conditions. *Silva Fennica* 43(1): 5-20.

Luoranen, J., Konttinen, K. & Rikala, R. Frost hardiness and risk of a second flush in Norway spruce seedlings after an early-season short-day treatment. *Silva Fennica* 43(2): 235-247.

Luostarinen, K., Huotari, N. & Tillman-Sutela, E. Effect of regeneration method on growth, wood density and fibre properties of downy birch (*Betula pubescens* Ehrh.). *Silva Fennica* 43(3): 329-338.

Lyhykäinen, H., Mäkinen, H., Mäkelä, A., Pastila, S., Heikkilä, A. & Usenius, A. Predicting lumber grade and by-product yields for Scots pine trees. *Forest Ecology and Management* 258(2): 146-158.

Lähtinen, K., Toppinen, A., Leskinen, P. & Haara, A. Resource Usage Decisions and Business Success: A case study of Finnish large- and medium-sized sawmills. *Journal of Forest Products Business Research* 6(3): 1-18.

Magnussen, S., McRoberts, R. & Tomppo, E.O. Model-based mean square error estimators for k-nearest neighbour predictions and applications using remotely sensed data for forest inventories. *Remote Sensing of Environment* 113: 476-488.

Maljanen, M., Virkajärvi, P., Hytönen, J., Öquist, M., Sparrman, T., & Martikainen, P.J. Nitrous oxide production in boreal soils with variable organic matter content at low temperature - snow manipulation experiment. *Biogeosciences* 6(11): 2461-2473.

Maljanen, M., Virkajärvi, P., Hytönen, J., Öquist, M., Sparrman, T. & Martikainen, P.J. Nitrous oxide production in boreal soils with variable organic matter content at low temperature - snow manipulation experiment. *Biogeosciences Discussions* 2009(6): 5305-5337.

Maltamo, M., Packalén, P., Suvanto, A., Korhonen, K.T., Mehtätalo, L. & Hyvönen, P. Combining ALS and NFI training data for forest management planning: a case study in Kuortane, Western Finland. *European Journal of Forest Research* 128(3): 305-317.

Maltamo, M., Peuhkurinen, J., Malinen, J., Vauhkonen, J., Packalén, P. & Tokola, T. Predicting tree attributes and quality characteristics of Scots pine using airborne laser scanning data. *Silva Fennica* 43(3): 507-521.

Manninen, O., Stark, S., Kytöviita, M.-M., Lampinen, L. & Tolvanen, A. Understorey plant and soil responses to disturbance and increased nitrogen in boreal forests. *Journal of Vegetation Science* 20: 311-322.

Manninen, T., Korhonen, L., Voipio, P., Lahtinen, P. & Stenberg, P. Leaf area index (LAI) estimation of boreal forest using wide optics airborne winter photos. *Remote Sensing of Environment* 1(4): 1380-1394.

Martz, F., Turunen, M., Julkunen-Tiitto, R., Lakkala, K. & Sutinen, M.-L. Effect of the temperature and the exclusion of UVB radiation on the phenolics and iridoids in *Menyanthes trifoliata* L. leaves in the subarctic. *Environmental Pollution* 157(12): 3471-3478.

Matala, J., Kärkkäinen, L., Härkönen, K., Kellomäki, S. & Nuutinen, T. Carbon sequestration in the growing stock of trees in Finland under different cutting and climate scenarios. *European Journal of Forest Research* 128(5): 493-504.

- Matveinen-Huju, K., Koivula, M., Niemelä, J. & Rauha, A.M. Short-term effects of retention felling at mire sites on boreal spiders and carabid beetles. *Forest Ecology and Management* 258(11): 2388-2398.
- McCarroll, D., Gagen, M.H., Loader, N.J., Robertson, I., Anchukaitis, K.J., Los, S., Young, G., Jalkanen, R., Kirchhefer, A. & Waterhouse, J. Correction of tree ring stable carbon isotope chronologies for changes in the carbon dioxide content of the atmosphere. *Geochimica et Cosmochimica Acta* 73(6): 1539-1547.
- Miettinen, J., Helle, P., Nikula, A. & Niemelä, P. Changes in landscape-scale habitat selection of Capercaillie (*Tetrao urogallus*) in managed north-boreal forest. *Silva Fennica* 43(4): 595-608.
- Miina, J., Hotanen, J.-P. & Salo, K. Modelling the abundance and temporal variation in the production of bilberry (*Vaccinium myrtillus* L.) in Finnish mineral soil forests. *Silva Fennica* 43(4): 577-593.
- Muukkonen, P., Häkkinen, M. & Mäkipää, R. Spatial variation in soil carbon in the organic layer of managed boreal forest soil - implications for sampling design. *Environmental Monitoring and Assessment* 158(1-4): 67-76.
- Myking, T., Aarrestad, P.A., Derome, J., Bakkestuen, V., Bjerke, J.W., Gytarsky, M., Isaeva, L., Karaban, R., Korotkov, V., Lindgren, M., Lindroos, A.-J., Roesberg, I., Salemaa, M., Toemmervik, H. & Vassilieva, N. Effects of air pollution from a nickel-copper industrial complex on boreal forest vegetation in the joint Russian-Norwegian-Finnish border area. *Boreal Environment Research* 14: 279-296.
- Myking, T., Vakkari, P. & Skrøppa, T. Genetic variation in northern marginal *Taxus baccata* L. populations. Implications for conservation. *Forestry* 82(5): 529-539.
- Mäkiranta, P., Laiho, R., Fritze, H., Hytönen, J., Laine, J. & Minkkinen, K. Indirect regulation of heterotrophic peat soil respiration by water level via microbial community structure and temperature sensitivity. *Soil Biology & Biochemistry* 41: 695-703.
- Männistö, M.K., Tirola, M. & Häggblom, M.M. Effect of freeze-thaw cycles on bacterial communities of Arctic tundra soil. *Microbial Ecology* 58(3): 621-631.
- Müller, M.M., Hantula, J. & Vuorinen, M. First observations of *Mycosphaerella pini* on Scots pine in Finland. *Plant Disease* 93(3): 322.
- Nerg, A.-M., Kasurinen, A., Holopainen, T., Julkunen-Tiitto, R., Neuvonen, S. & Holopainen, J.K. Interactions of ectomycorrhizas and above-ground insect herbivores on silver birch. *Plant Signalling & Behavior* 4(4): 355-357.
- Norén, K., Kvaløy, K., Nyström, V., Landa, A., Dalén, L., Eide, N.E., Østbye, E., Henttonen, H. & Angerbjörn, A. Farmed arctic foxes on the Fennoscandian mountain tundra: implications for conservation. *Animal Conservation* 12: 434-444.
- Nuutinen, T., Kilpeläinen, A., Hirvelä, H., Härkönen, K., Ikonen, V.-P., Lempinen, R., Peltola, H., Wilhelmsson, L. & Kellomäki, S. Future wood and fibre sources - case North

Karelia in Eastern Finland. *Silva Fennica* 43(3): 489-505.

Nöjd, P., Lindroos, A.-J., Smolander, A., Derome, J., Lumme, I. & Helmisaari, H.-S. Artificial recharge of groundwater through sprinkling infiltration: Impacts on forest soil and the nutrient status and growth of Scots pine. *The Science of the Total Environment* 407: 3365-3371.

Ogurtsov, M., Jungner, H., Lindholm, M., Helama, S. & Dergachev, V. Quasiseccular cyclicity in the climate of the earth's Northern Hemisphere and its possible relation to solar activity variations. *Geomagnetism and Aeronomy* 49(7): 1056-1062.

Oksanen, E., Manninen, S., Vapaavuori, E. & Holopainen, T. Near-ambient ozone concentrations reduce the vigour of Finnish deciduous trees, *Betula* and *Populus* species. *Ambio Special Report* 38(8): 413-417.

Palviainen, M., Finér, L., Laiho, R., Shorohova, E., Kapitsa, E. & Vanha-Majamaa, I. Carbon and nitrogen release from decomposing Scots pine, Norway spruce and silver birch stumps. *Forest Ecology and Management* 259: 390-398.

Parviainen, J. Nachhaltige Waldbewirtschaftung und steigende Ansprüche der Gesellschaft in Europa. In: Thees, O. & Lemm, R. (ed.). *Management zukunftsfähige Waldnutzung*. Eidgenössische Forschungsanstalt für Wald, Schnee, Birmensdorf. p. 649-674.

Parviainen, J. Waldschutzgebiete und Naturwälder. Biologische Artenvielfalt - Kernfragen in der europäischen Diskussion. *Mitteilungen des Vereins Forstliche Standortkunde und Forstpflanzenzüchtung* 46: 15-22.

Paunonen, R., Julkunen-Tiitto R., Tegelberg, R., Rousi, M. & Heiska, S. Salicylate and biomass yield, and leaf phenolics of dark-leaved willow (*Salix myrsinifolia* Salisb.) clones under different cultivation methods after the second cultivation cycle. *Industrial Crops and Products* 29(2-3): 261-268.

Pekkarinen, A., Reithmaier, L. & Strobl, P. Pan-European forest/non-forest mapping with Landsat ETM+ and CORINE Land Cover 2000 data. *ISPRS Journal of Photogrammetry and Remote Sensing* 64: 171-183.

Peltola, H., Gort, J., Pulkkinen, P., Zubizarreta Gerendiain, A., Karppinen, J. & Ikonen, V.-P. Differences in growth and wood density traits in Scots pine (*Pinus sylvestris* L.) genetic entries grown at different spacing and sites. *Silva Fennica* 43(3): 339-354.

Peltoniemi, K., Fritze, H. & Laiho, R. Responses of fungal and actinobacterial communities to water-level drawdown in boreal peatland sites. *Soil Biology & Biochemistry* 41(9): 1902-1914.

Pesonen, A., Eerikäinen, K., Maltamo, M. & Tahvanainen, T. Models for predicting tree and stand development on larch plantations in Hallormsstaður, Iceland. *New Forests* 37(1): 63-83.

Pihlatie, M.K., Kiese, R., Brüggemann, N., Butterbach-Bahl, K., Kieloaho, A.-J., Laurila,

- T., Lohila, A., Mammarella, I., Minkkinen, K., Penttilä, T., Schönborn, J. & Vesala, T. Greenhouse gas fluxes in a drained peatland forest during spring frost-thaw event. *Biogeosciences Discussions* 6: 6111-6145.
- Piippo, S., Hellström, K., Huhta, A.-P., Rautio, P. & Tuomi, J. Delayed flowering as a potential benefit-decreasing cost of compensatory regrowth. *Botany* 87: 837-844.
- Piirainen, S., Finér, L., Mannerkoski, H. & Starr, M. Leaching of cations and sulphate after mechanical site preparation at a boreal forest clear-cut area. *Geoderma* 149: 386-392.
- Poikolainen, J., Piispanen, J., Karhu, J. & Kubin, E. Long-term changes in nitrogen deposition in Finland (1990-2006) monitored using the moss *Hylocomium splendens*. *Environmental Pollution* 157(11): 3091-3097.
- Potila, H., Wallander, H. & Sarjala, T. Growth of ectomycorrhizal fungi in drained peatland forests with variable P and K availability. *Plant and Soil* 316: 139-150.
- Pouta, E., Neuvonen, M. & Sievänen, T. Participation in cross-country skiing in Finland under climate change: Application of multiple hierarchy stratification perspective. *Journal of Leisure Research* 41(1): 91-108.
- Puentes Rodriguez, Y., Zubizarreta Gerendiain, A., Pappinen, A., Peltola, H. & Pulkkinen, P. Differences in wood decay by *Heterobasidion parviporum* in cloned Norway spruce (*Picea abies*). *Canadian Journal of Forest Research* 39: 26-35.
- Pukkala, T., Heinonen, T. & Kurttila, M. An application of the reduced cost approach to spatial forest planning. *Forest Science* 55(1): 13-22.
- Pulkkinen, P., Varis, S., Pakkanen, A., Koivuranta, L., Vakkari, P. & Parantainen, A. Southern pollen sired more seeds than northern pollen in southern seed orchards established with northern clones of *Pinus sylvestris*. *Scandinavian Journal of Forest Research* 24(1): 8-14.
- Putkinen, A., Juottonen, H., Juutinen, S., Tuittila, E.-S., Fritze, H. & Yrjälä, K. Archaeal rRNA communities and methane production in deep peat sediments. *FEMS Microbiology Ecology* 70: 87-98.
- Puustinen, J., Pouta, E., Neuvonen, M. & Sievänen, T. Visits to national parks and the provision of natural and man-made recreation and tourism resources. *Journal of Ecotourism* 8(1): 18-31.
- Pykäläinen, J. & Kurttila, M. Interactive method for supporting forest owners in biodiversity protection decisions. *Small-Scale Forestry* 8(3): 337-348.
- Rantala, J., Harstela, P., Saarinen, V.-M. & Tervo, L. A techno-economic evaluation of Bracke and M-Planter tree planting devices. *Silva Fennica* 43(4): 659-667.
- Rantavaara, A. & Aro, L. Radiological impact of using forest tree biomass for energy and recycling the ash. *Radioprotection* 44(5): 927-932.

- Razzauti, M., Plysunina, A., Sironen, T., Henttonen, H. & Plyusnin, A. Analysis of Puumala hantavirus in a bank vole population in northern Finland: evidence for co-circulation of two genetic lineages and frequent reassortment between wild-type strains. *Journal of General Virology* 90: 1923-1931.
- Repola, J. Biomass equations for Scots pine and Norway spruce in Finland. *Silva Fennica* 43(4): 625-647.
- Rinnan, R., Stark, S. & Tolvanen, A. Responses of vegetation and soil microbial communities to warming and simulated herbivory in a subarctic heath. *Journal of Ecology* 97(4): 788-800.
- Roitto, M., Rautio, P., Markkola, A.-M., Julkunen-Tiitto, R., Varama, M., Saravesi, K. & Tuomi, J. Induced accumulation of phenolics and sawfly performance in Scots pine in response to previous defoliation. *Tree Physiology* 29: 207-216.
- Ruokolainen, L. & Salo, K. The effect of fire intensity on vegetation succession on a sub-eric heath during ten years after wildfire. *Annales Botanici Fennici* 46: 30-42.
- Ruuhola, T., Rantala, L.M., Neuvonen, S., Yang, S. & Rantala, M.J. Effects of long-term simulated acid rain on a plant-herbivore interaction. *Basic and Applied Ecology* 10: 589-596.
- Räisänen, M., Repo, T. & Lehto, T. Cold acclimation of Norway spruce roots and shoots after nitrogen and boron fertilization. *Silva Fennica* 43: 223-233.
- Saari, P., Saarnio, S., Kukkonen, J.V.K., Akkanen, J., Heinonen, J., Saari, V. & Alm, J. DOC and N₂O dynamics in upland and peatland forest soils after clear-cutting and soil preparation. *Biogeochemistry* 94(3): 217-231.
- Salminen, H., Jalkanen, R. & Lindholm, M. Summer temperature affects the ratio of radial and height growth of Scots pine in northern Finland. *Annals of Forest Science* 66(8). 9 p.
- San-Miguel-Ayanz, J., Pereira, J.M.C., Boca, R., Strobl, P., Kucera, J. & Pekkarinen, A. Forest fires in the European Mediterranean region: Mapping and analyses of burned areas. In: Chuvieco, E. (ed.). *Earth observation of wildland fires in Mediterranean ecosystems*. Springer, p. 189-204.
- Sarala, M., Taulavuori, E., Karhu, J., Savonen, E.-M., Laine, K., Kubin, E. & Taulavuori, K. Improved elongation of Scots pine seedlings under blue light depletion is not depended on resource acquisition. *Functional Plant Biology* 36: 742-751.
- Sarkkola, S., Koivusalo, H., Laurén, A., Kortelainen, P., Mattsson, T., Palviainen, M., Piirainen, S., Starr, M. & Finér, L. Trends in hydrometeorological conditions and stream water organic carbon in boreal forested catchments. *The Science of the Total Environment* 408: 92-101.
- Seppälä, R., Buck, A. & Katila, P. (eds.) *Adaptation of forest and forest-dependent people*

to climate change - A global assessment report. IUFRO World Series 22. 224 p.

Siipilehto, J. Modelling stand structure in young Scots pine dominated stands. *Forest Ecology and Management* 257(1): 223-232.

Siitonen, J., Hottola, J. & Immonen, A. Differences in stand characteristics between brook-side key habitats and managed forests in southern Finland. *Silva Fennica* 43(1): 21-37.

Silfver, T., Roininen, H., Oksanen, E. & Rousi, M. Genetic and environmental determinants of silver birch growth and herbivore resistance. *Forest Ecology and Management* 257(10): 2145-2149.

Sipponen, A., Peltola, R., Jokinen, J.J., Laitinen, K., Lohi, J., Rautio, M., Männistö, M., Sipponen, P. & Lounatmaa, K. Effects of Norway spruce (*Picea abies*) resin on cell wall and cell membrane of *Staphylococcus aureus*. *Ultrastructural Pathology* 33(3): 128-135.

Soirinsuo, J. & Mäkinen, P. Importance of the financial situation for the growth of a forest machine entrepreneur. *Scandinavian Journal of Forest Research* 24: 265-272.

Sokolov, A. & Gerasimov, Y. Geoinformation system for solving optimization problem of transport logistics for round wood. *Izvestiya Vysshikh Uchebnykh Zavedenii - Lesnoi Zhurnal* 3: 28-30.

Sokolov, A. & Gerasimov, Y. A method of short-wood trucks fleet optimization based on the simulation modeling in the environment of the geographic information system. *Proceedings of Petrozavodsk State University. Natural & Engineering Sciences* 105(11): 72-77.

Soubeyrand, S., Neuvonen, S. & Penttinen, A. Mechanical-statistical modelling in ecology: from outbreak detections to pest dynamics. *Bulletin of Mathematical Biology* 71: 318-338.

Stenvall, N., Piisilä, M. & Pulkkinen, P. Seasonal fluctuation of root carbohydrates in hybrid aspen clones and its relationship to the sprouting efficiency of root cuttings. *Canadian Journal of Forest Research* 39: 1531-1537.

Store, R. Sustainable locating of different forest uses. *Land Use Policy* 26: 610-618.

Suhonen, J., Jokimäki, J., Kaisanlahti-Jokimäki, M.-L., Hakkarainen, H., Huhta, E., Inki, K. & Suorsa, P. Urbanization and stability of a bird community in winter. *Ecoscience* 16(4): 502-507.

Sun, H., Korhonen, K., Hantula, J. & Kasanen, R. Variation in properties of *Phlebiopsis gigantea* related to biocontrol against infection by *Heterobasidion* spp. in Norway spruce stumps. *Forest Pathology* 39(2): 133-144.

Sun, H., Korhonen, K., Hantula, J., Asiegbu, F.O. & Kasanen, R. Use of a breeding approach for improving biocontrol efficacy of *Phlebiopsis gigantea* strains against *Heterobasidion* infection of Norway spruce stumps. *FEMS Microbiology Ecology* 69(2):

266-273.

Sutela, S., Niemi, K., Edesi, J., Laakso, T., Saranpää, P., Vuosku, J., Mäkelä, R., Tiimonen, H., Chiang, C.L., Koskimäki, J., Suorsa, J., Julkunen-Tiitto, R. & Häggman, H. Phenolic compounds in ectomycorrhizal interaction of lignin modified silver birch. *BMC Plant Biology* 9: 15 p.

Sutinen, R., Vajda, A., Hänninen, P. & Sutinen, M.-L. Significance of snowpack for root-zone water and temperature cycles in Subarctic Lapland. *Arctic, Antarctic and Alpine Research* 41(3): 373-380.

Sutinen, S., Partanen, J., Viherä-Aarnio, A. & Häkkinen, R. Anatomy and morphology in developing vegetative buds on detached Norway spruce branches in controlled conditions before bud burst. *Tree Physiology* 29: 1457-1465.

Tagliapietra, V., Rosà, R., Hauffe, H.C., Laakkonen, J., Voutilainen, L., Vapalahti, O., Vaheri, A., Henttonen, H. & Rizzoli, A. Spatial and temporal dynamics of lymphocytic choriomeningitis virus (family Arenaviridae, genus Arenavirus) in wild rodents in Northern Italy. *Emerging Infectious Diseases* 15: 1019-1025.

Tahvonen, O. Optimal choice between even- and uneven-aged forestry. *Natural Resource Modeling* 22(2): 289-321.

Terhivuo, J., Kubin, E. & Karhu, J. Phenological observation since the days of Linné in Finland. In: Special issue COST action 725-WGI. Proceedings of workshop "Benefit of old Phenodata Series-Evaluation and Declaring Ability", Rome 2-7 November 2008. *Italian Journal of Agrometeorology* 14(1): 45-49.

Tiitta, M., Tomppo, L., Järnström, H., Löija, M., Laakso, T., Harju, A., Venäläinen, M., Iitti, H., Paajanen, L., Saranpää, P., Lappalainen, R. & Viitanen, H. Spectral and chemical analyses of mould development on Scots pine heartwood. *Holz als Roh- und Werkstoff* 67(2): 151-158.

Tomppo, E.O., Gagliano, C., De Natale, F., Katila, M. & McRoberts, R.E. Predicting categorical forest variables using an improved k-Nearest Neighbour estimation and Landsat imagery. *Remote Sensing of Environment* 113: 500-517.

Tomppo, L., Tiitta, M., Laakso, T., Harju, A., Venäläinen, M. & Lappalainen, R. Dielectric spectroscopy of Scots pine. *Wood Science and Technology* 43(7-8): 653-667.

Tuomivirta, T., Yrjälä, K. & Fritze, H. Quantitative PCR of pmoA using a novel reverse primer correlates with potential methane oxidation in Finnish fen. *Research in Microbiology* 160(10): 751-756.

Tuomivirta, T.T., Kaitera, J. & Hantula, J. A novel putative virus of *Gremmeniella abietina* type B (Ascomycota: Helotiaceae) has a composite genome with endornavirus affinities. *Journal of General Virology* 90(9): 2299-2305.

Tuovinen, M., McCarroll, D., Grudd, H., Jalkanen, R. & Los, S. Spatial and temporal stability of the climatic signal in northern Fennoscandian pine tree-ring width and

maximum density. *Boreas* 38(1): 1-12.

Turunen, M., Soppela, P., Kinnunen, H., Sutinen, M.-L. & Martz, F. Does climate change influence the availability and quality of reindeer forage plants? A review. *Polar Biology* 32(6): 813-832.

Törn, A., Tolvanen, A., Norokorpi, Y., Tervo, R. & Siikamäki, P. Comparing the impacts of hiking, skiing and horse riding on trail and vegetation in different types of forest. *Journal of Environmental Management* 90(3): 1427-1434.

Vaaramaa, K., Solatie, D. & Aro, L. Distribution of ²¹⁰Pb and ²¹⁰Po concentrations in wild berries and mushrooms in boreal forest ecosystems. *The Science of the Total Environment* 408(1): 84-91.

Vaario, L.-M., Tervonen, A., Haukioja, K., Haukioja, M., Pennanen, T. & Timonen, S. . The effect of nursery substrate and fertilization on the growth and ectomycorrhizal status of containerized and outplanted seedlings of *Picea abies*. *Canadian Journal of Forest Research* 39(1): 64-75.

Vakkari, P., Rusanen, M. & Kärkkäinen, K. High genetic differentiation in marginal populations of European white Elm (*Ulmus laevis*). *Silva Fennica* 43(2): 185-196.

Vapaavuori, E., Holopainen, J.K., Holopainen, T., Julkunen-Tiitto, R., Kaakinen, S., Kasurinen, A., Kontunen-Soppela, S., Kostiaainen, K., Oksanen, E., Peltonen, P., Riikonen, J. & Tulva, I. Rising atmospheric carbon dioxide concentration partially masks the negative effects of elevated ozone in silver birch (*Betula pendula* Roth). *Ambio* 38(8): 418-424.

Varis, S., Pakkanen, A., Galofré, A. & Pulkkinen, P. The extent of South-North pollen transfer in Finnish Scots pine. *Silva Fennica* 43(5): 717-726.

Vartiamäki, H., Hantula, J. & Uotila, A. Effect of application time on the efficacy of *Chondrostereum purpureum* treatment against the sprouting of birch in Finland. *Canadian Journal of Forest Research* 39(4): 731-739.

Vehmas, M., Eerikäinen, K., Peuhkurinen, J., Packalén, P. & Maltamo, M. Identification of boreal forest stands with high herbaceous plant diversity using airborne laser scanning. *Forest Ecology and Management* 257(1): 46-53.

Vehmas, M., Kouki, J. & Eerikäinen, K. Long-term spatio-temporal dynamics and historical continuity of European aspen (*Populus tremula* L.) stands in the Koli National Park, eastern Finland. *Forestry* 82(2): 135-148.

Vikan, J.R., Stokke, B.G., Fossoy, F., Jackson, C., Huhta, E., Rutila, J., Moksnes, A. & Roskaft, E. Fixed rejection responses to single and multiple experimental parasitism in two *Fringilla* hosts of the Common Cuckoo. *Ethology* 115: 840-850.

Vuosku, J., Sarjala, T., Jokela, A., Sutela, S., Säaskilahti, M., Suorsa, M., Läärä, E. & Häggman, H. One tissue, two fates: different roles of megagametophyte cells during Scots pine embryogenesis. *Journal of Experimental Botany* 60(4): 1375-1386.

Vuosku, J., Sutela, S., Tillman-Sutela, E., Kauppi, A., Jokela, A., Sarjala, T. & Häggman, H. Pine embryogenesis; Many licences to kill for a new life. *Plant Signalling & Behavior* 4(10): 928-932.

Vávrová, P., Penttilä, T. & Laiho, R. Decomposition of Scots pine fine woody debris in boreal conditions: Implications for estimating carbon pools and fluxes. *Forest Ecology and Management* 257(2): 401-412.

Walker, T.R., Crittenden, P.D., Dauvalter, V.A., Jones, V., Kuhry, P., Loskutova, O., Mikkola, K., Nikula, A., Patova, E., Ponomarev, V.I., Pystina, T., Rätti, O., Solovieva, N., Stenina, A., Virtanen, T. & Young, S.D. Multiple indicators of human impacts on the environment in the Pechora Basin, north-eastern European Russia. *Ecological Indicators* 9: 765-779.

Wall, A. & Heiskanen, J. Soil-water content and air-filled porosity affect height growth of Scots pine in afforested arable land in Finland. *Forest Ecology and Management* 257: 1751-1756.

Weslien, J. Finér, L., Jónsson, J.Á., Koivusalo, H., Laurén, A., Ranius, T. & Sigurdsson, B.D. Effects of increased forest productivity and warmer climates on carbon sequestration, runoff water quality and accumulation of dead wood in a boreal landscape: a modeling study. *Scandinavian Journal of Forest Research* 24: 333-347.

Wilson, D., Alm, J., Laine, J., Byrne, K.A., Farrell, E.P. & Tuittila, E.-S. Rewetting of cutaway peatlands: Are we re-creating hot spots of methane emissions? *Restoration Ecology* 17(6): 796-806.

Ylisirniö, A.-L., Berglund, H., Aakala, T., Kuuluvainen, T., Kuparinen, A.-M., Norokorpi, Y., Hallikainen, V., Mikkola, K. & Huhta, E. Spatial distribution of dead wood and the occurrence of five saproxylic fungi in old-growth timberline spruce forests in northern Finland. *Scandinavian Journal of Forest Research* 24: 527-540.

Zubizarreta Gerendiain, A., Peltola, H. & Pulkkinen, P. Growth and wood property traits in narrow crowned Norway spruce (*Picea abies* f. *pendula*) clones grown in southern Finland. *Silva Fennica* 43(3): 369-382.

Zubizarreta Gerendiain, A., Peltola, H., Pulkkinen, P. & Kellomäki, S. Effects of genetic entry and competition by neighbouring trees on growth and wood properties of cloned Norway spruce (*Picea abies*). *Annals of Forest Science* 66(8). 9 p.

KANSALLISET REFEROIDUT JULKAISUT 2009

Holopainen, M., Tuominen, S., Karjalainen, M., Hyyppä, J., Hyyppä, H., Vastaranta, M., Hujala, T. & Tokola, T. Korkearesoluutioisten E-SAR-tutkakuvien tarkkuus puustotunnusten koealaston estimoinnissa. *Metsätieteen aikakauskirja* 4/2009: 309-323.

Huhtala, M., Vatanen, E. & Berghäll, J. Kansallispuistomatkoilun paikallistaloudelliset vaikutukset - menetelmien vertailu. *Terra* 121(4): 285-299.

Jokinen, M., Mettiäinen, I., Sippola, S. & Tuulentie, S. Sosiaalinen kestävyys muuttuvissa matkailukylissä: Paikallisia näkemyksiä kehityksestä. Julkaisussa: Tuulentie, S (toim.). Turisti tulee kylään. Matkailukeskukset ja lappilainen arki. Minerva kustannus Oy, Helsinki/Jyväskylä. s. 60-85.

Kietäväinen, A. Metsään raivatut elämänpolut. Toimijuus ja identiteetti asutustilallisten elämäkertomuksissa. Väitöskirja. Lapin yliopisto. 325 s.

Kietäväinen, A. Talonpojasta yrittäjäksi. Julkaisussa: Kinnunen, M. & Autto, J. (toim.). Tänään töissä. Sosiologia näkökulmia työhön. Lapin yliopistokustannus, Rovaniemi. s. 75-98.

Kojola, S. Kohti hyvää suometsien hoitoa – harvennusten ja kunnostusojitusten vaikutus ojitusaluemänniköiden puuntuotokseen ja metsänkasvatuksen taloustulokseen. *Dissertationes Forestales* 83. 67 s. + 4 osajulkaisua.

Kurtti, M. & Pukkala, T. Tilatason metsäsuunnitelman koostaminen metsikkötason optimoinnilla. *Metsätieteen aikakauskirja* 4/2009: 341-356.

Kurtti, M., Leskinen, P., Tikkanen, J. & Niskanen, A. Alueellisten metsäohjelmien kehittäminen toimintaympäristön näkökulmasta. *Metsätieteen aikakauskirja* 3/2009: 183-197.

Laitila, T., Tikkanen, J., Hujala, T. & Kurtti, M. Yksityismetsien monikäyttöön liittyvät arvot ja asenteet: analyysi metsänomistajien haastatteluista. *Metsätieteen aikakauskirja* 2/2009: 113-126.

Leskinen, L.A. Metsäammattilaisten tulkinnat puunkasvatuksen tavoitteista energiapuun korjuun lisääntyessä. *Metsätieteen aikakauskirja* 3/2009: 199-212.

Leskinen, L.A., Nurminen, H., Kurtti, M. & Leskinen, P. Metsien suojelun sosiaalisesti kestävä toteuttaminen - Merestä Metsäksi -yhteistoimintaverkostohankkeen tapaus. *Metsätieteen aikakauskirja* 1/2009: 5-9.

Lähtinen, K. Assessing the resource usage decisions and financial performance in Finnish sawmills within the resource-based view framework. *Dissertationes Forestales* 89. 40 s. + 4 osajulkaisua.

Moilanen, M. & Hökkä, H. PK-lannoituksella aikaansaadun kasvureaktion suuruus riippuu ojitusaluemännikön ravinnetilasta. Summary: The growth response of Scots pine to PK fertilization depends on the nutrient status of the stand on drained peatlands. *Suo - Mires and Peat* 60(3-4): 111-120.

Mäkitalo, K. Soil hydrological properties and conditions, site preparation, and the long-term performance of planted Scots pine (*Pinus sylvestris* L.) on upland forest sites in Finnish Lapland. *Dissertationes Forestales* 80. 71 s. + 6 osajulkaisua.

Nuutinen, T., Husso, M., Toppinen, A., Kärkkäinen, L. & Rautanen, M. Trends and scenarios related to the turbulent operating environment of Finnish sawmills. *Futura* 28(3): 31-45.

Parviainen, J. The role of forest research as data provider for forest policy discussions - as applied for the forest biodiversity in Europe and in Finland (in Serbian, with English summary). *Hrvatska misao* 50(1): 23-41.

Peltola, T. & Leskinen, L.A. Mies, kone ja metsä: luonto metsäkoneyrittäjien työkäytännöissä. *Alue ja Ympäristö* 38(2): 25-33.

Saarinen, M., Hotanen, J.-P. & Alenius, V. Muokkausjälkien kasvillisuuden kehittyminen ojitettujen soiden metsänuudistamisaloilla. *Suo - Mires and Peat* 60(3-4): 85-109.

Saarinen, N., Kangas, A., Tikkanen, J., Leskinen, L.A., Hujala, T. & Saarikoski, H. Osallistujien näkökulmat alueellisiin metsäohjelmaprosesseihin. *Metsätieteen aikakauskirja* 3/2009: 213-226.

Salminen, H. The effect of temperature on height growth of Scots pine in northern Finland. *Dissertationes Forestales* 96. 39 s. + 5 osajulkaisua.

Sipilä, M., Bäcklund, P. & Tyrväinen, L. Vaikuttamisen rajoilla: Onko koetulla luonnolla sijaa kaupungin suunnittelussa ja päätöksenteossa? *Alue ja Ympäristö* 38(1): 39-50.

Tarvainen, O. Scots pine and its ectomycorrhizal symbionts under chronic low-level urban pollution-responses and restoration. Väitöskirja. *Acta Universitatis Ouluensis. Series A, Scientiae rerum naturalium A* 543. 69 s. + 6 osajulkaisua.

Tuulentie, S. Matkailukylät maailmalla: Ylläs ja Levi brittiläisissä matkaesitteissä. Julkaisussa: Tuulentie, S. (toim.) *Turisti tulee kylään. Matkailukeskukset ja lappilainen arki*. Minerva kustannus Oy, Helsinki/Jyväskylä. s. 86-107.

Tuulentie, S. (toim.) *Turisti tulee kylään. Matkailukeskukset ja lappilainen arki*. Minerva kustannus Oy, Helsinki/Jyväskylä. 274 s.

Tuulentie, S. & Sarkki, S. Johdanto: Kun kylästä tulee keskus. Julkaisussa: Tuulentie, S. (toim.) *Turisti tulee kylään. Matkailukeskukset ja lappilainen arki*. Minerva kustannus Oy, Helsinki/Jyväskylä. s. 9-28.

Tyrväinen, L. & Järviluoma, J. Lappi ja Suomi maailman matkailumarkkinoilla. Julkaisussa: Tuulentie, S. (toim.) *Turisti tulee kylään. Matkailukeskukset ja lappilainen arki*. Minerva kustannus Oy, Helsinki/Jyväskylä. s. 29-52.

Viherä-Aarnio, A. Effects of seed origin latitude on the timing of height growth cessation and field performance of silver birch. *Dissertationes Forestales* 87. 47 s. + 4 osajulkaisua.