

## KANSAINVÄLISET REFEROIDUT JULKAISUT

Aakala, T., Kuuluvainen, T., Wallenius, T. & Kauhanen, H. Tree mortality episodes in the intact *Picea abies*-dominated taiga in the Arkhangelsk region of northern European Russia. *Journal of Vegetation Science* 22: 322-333.

Adamczyk, B., Adamczyk, S., Smolander, A. & Kitunen, V. Tannic acid and Norway spruce condensed tannins can precipitate various organic nitrogen compounds. *Soil Biology & Biochemistry* 43: 628-637.

Adamczyk, S., Adamczyk, B., Kitunen, V. & Smolander, A. Influence of diterpenes (colophony and abietic acid) and a triterpene (beta-sitosterol) on net N mineralization, net nitrification, respiration, and microbial biomass in birch soil. *Biology and Fertility of Soils* 47: 715-720.

Ahtikoski, A., Tuulentie, S., Hallikainen, V., Nivala, V., Vatanen, E., Tyrväinen, L. & Salminen, H. Potential trade-offs between nature-based tourism and forestry, a case study in Northern Finland. *Forests* 2(4): 894-912.

Andersen, R., Poulin, M., Borcard, D., Laiho, R., Laine, J., Vasander, H. & Tuittila, E.-S. Environmental control and spatial structures in peatland vegetation. *Journal of Vegetation Science* 22(5): 878-890.

Anttila, P., Asikainen, A., Laitila, J., Broto, M., Campanero, I., Lizarralde, I. & Rodríguez, F. Potential and supply costs of wood chips from forests in Soria, Spain. *Forest Systems* 20(2): 245-254.

Aro, L. & Ikonen, A.T.K. On real and abstracted geometries of boreal forest plants. *Radioprotection* 46(6): S199-204.

Aro, L. & Rantavaara, A. Long-term effect of fertilization on <sup>137</sup>Cs concentration in Scots pine needles. *Radioprotection* 46(6): S479-482.

Asikainen, A., Röser, D., Laitila, J. & Sikanen, L. Feasibility of the Nordic forest energy harvesting technology in Poland and Scotland. *Biomass & Bioenergy* 35(11): 4565-4569.

Barua, S., Kuuluvainen, J. & Uusivuori, J. Taxation, life-time uncertainty and non-industrial private forest-owner's decision-making. *Journal of Forest Economics* 17: 267-284.

Ben-Hur, M., Fernandez, C., Sarkkola, S. & Santamarta-Cerezal, J. C. Overland flow, soil erosion and stream water quality in forest under different perturbations and climate conditions. In: Bredemeier, M. Cohen, S., Godbold, D.L., Lode, E., Pichler, V. & Schleppei, P. (eds.). *Forest Management and the Water Cycle - An Ecosystem-Based Approach*. Springer Verlag, p. 263-289.

Berglund, H., Hottola, J., Penttilä, R. & Siitonen, J. Linking substrate and habitat requirements of wood-inhabiting fungi to their regional extinction vulnerability. *Ecography* 34(5): 864-875.

Berglund, H., Jönsson, M.T., Penttilä, R. & Vanha-Majamaa, I. The effects of burning and dead-wood creation on the diversity of pioneer wood-inhabiting fungi in managed boreal spruce forests. *Forest Ecology and Management* 261(7): 1293-1305.

Blasdell, K., Henttonen, H. & Buchy, P. Hantavirus genetic diversity. In: Morand, S., Beaudeau, F. & Cabaret, J. (eds.). *New Frontiers of Molecular Epidemiology of Infectious Diseases*. Springer, p. 179-216.

Bouriaud, L., Kastenholz, E., Fodrek, L., Karaszewski, Z., Mederski, P., Rimmler, T., Rummukainen, A., Sadauskiene, L., Salka, J. & Teder, M. Policy and market-related factors for innovation in forest operations enterprises. In: Weiss, G., Pettenella, D., Ollonqvist, P. & Slee, B. (eds.). *Innovation in Forestry - Territorial and Value Chain Relationships*. CAB International, Wallingford, UK. p. 276-293.

Brewer, M.J., Sulkava, M., Mäkinen, H., Korpela, M., Nöjd, P. & Hollmén, J. Logistic fitting method for detecting onset and cessation of tree stem radius increase. *Lecture Notes in Computer Science* 6936: 204-211.

Büntgen, U., Raible, C.C., Frank, D., Helama, S., Cunningham, L., Hofer, D., Nievergelt, D., Verstege, A., Timonen, M., Stenseth, N. & Esper, J. Causes and consequences of past and projected Scandinavian summer temperatures, 500-2100 AD. *PLoS ONE* 6(9): e25133.

Cao, Y., Lehto, T., Repo, T., Silvennoinen, R. & Pelkonen, P. Effects of planting orientation and density of willows on nutrient leaching in a greenhouse experiment. *New Forests* 41(3): 361-377.

Cao, Y., Repo, T., Silvennoinen, R., Lehto, T. & Pelkonen, P. Analysis of willow root system by electrical impedance spectroscopy. *Journal of Experimental Botany* 62(1): 351-358.

Clarke, N., Fischer, R., de Vries, W., Lundin, L., Papale, D., Vesala, T., Merilä, P., Matteucci, G., Mirtl, M., Simpson, D. & Paoletti, E. Availability, accessibility, quality and comparability of monitoring data for European forests for use in air pollution and climate change science. *iForest* 4: 162-166.

Cobb, T.P., Morissette, J.L., Jacobs, J.M., Koivula, M.J., Spence, J.R. & Langor, D.W. Effects of postfire salvage logging on deadwood-associated beetles. *Conservation Biology* 25(1): 94-104.

Daraio, C. et al. (26 authors, from FFRI Raty, T.). The European university landscape: A micro characterization based on evidence from the Aquameth project. *Research Policy* 40: 148-164.

Dinsmore, K.J., Billett, M.F., Dyson, K.E., Harvey, F., Thomson, A.M., Piirainen, S. & Kortelainen, P. Stream water hydrochemistry as an indicator of carbon flow paths in Finnish peatland catchments during a spring snowmelt event. *Science of the Total Environment* 409: 4858-4867.

- Domisch, T., Neuvonen, S., Sundstrom, L., Punttila, P., Finer, L., Kilpelainen, J., Niemela, P., Risch, A.C., Ohashi, M. & Jurgensen, M.F. Sources of variation in the incidence of ant-aphid mutualism in boreal forests. *Agricultural and Forest Entomology* 13(3): 239-245.
- Dumroese, R.K., Heiskanen, J., Englund, K. & Tervahauta, A. Pelleted biochar: Chemical and physical properties show potential use as a substrate in container nurseries. *Biomass & Bioenergy* 53(5): 2018-2027.
- Dyson, K.E., Billett, M.F., Dinsmore, K.J., Harvey, F., Thomson, A.M., Piirainen, S. & Kortelainen, P. Release of aquatic carbon from two peatland catchments in E. Finland during the spring snowmelt period. *Biogeochemistry* 103(1-3): 125-142.
- Eyvindson, K., Kurttila, M., Hujala, T. & Salminen, O. An internet-supported planning approach for joint ownership forest holdings. *Small-scale Forestry* 10(1): 1-17.
- Faehnle, M., Bäcklund, P. & Tyrväinen, L. Looking for the role of nature experiences in planning and decision making: a perspective from the Helsinki Metropolitan Area. *Sustainability: Science, Practice, & Policy* 7(1): 45-55.
- Filbakk, T., Høibø, O. & Nurmi, J. Modelling natural drying efficiency in covered and uncovered piles of whole broadleaf trees for energy use. *Biomass & Bioenergy* 35(1): 454-463.
- Filbakk, T., Høibø, O.A., Dibdiakova, J. & Nurmi, J. Modelling moisture content and dry matter loss during storage of logging residues for energy. *Scandinavian Journal of Forest Research* 26: 267-277.
- Filbakk, T., Jirjis, R., Nurmi, J. & Høibø, O. The effect of bark content on quality parameters of Scots pine (*Pinus sylvestris* L.) pellets. *Biomass & Bioenergy* 35(8): 3342-3349.
- Finér, L., Ohashi, M., Noguchi, K. & Hirano, Y. Factors causing variation in fine root biomass in forest ecosystems. *Forest Ecology and Management* 261: 265-277.
- Finér, L., Ohashi, M., Noguchi, K. & Hirano, Y. Fine root production and turnover in forest ecosystems in relation to stand and environmental characteristics. *Forest Ecology and Management* 262: 2008-2023.
- Gagen, M., Finsinger, W., Wagner, R., McCarroll, D., Loader, N., Robertson, I., Jalkanen, R., Young, G. & Kirchhefer, A. Evidence of changing intrinsic water use efficiency under rising atmospheric CO<sub>2</sub> concentrations in the Boreal Fennoscandia from subfossil leaves and tree ring <sup>13</sup>C ratios. *Global Change Biology* 17(2): 1064-1072.
- Gagen, M., Zorita, E., McCarroll, D., Young, G.H.F., Grudd, H., Jalkanen, R., Loader, N.J., Robertson, I. & Kirchhefer, A. Cloud response to summer temperatures in Fennoscandia over the last thousand years. *Geophysical Research Letters* 38: L05701.
- Gerasimov, T. & Karjalainen, T. Energy wood resources in Northwest Russia. *Biomass & Bioenergy* 35: 1655-1662.

Gort-Oromi, J., Mehtätalo, L., Peltola, H., Zubizarreta-Gerendiain, A., Pulkkinen, P. & Venäläinen, A. Effects of spacing and genetic entry on radial growth and ring density development in Scots pine (*Pinus sylvestris* L.). *Annals of Forest Science* 68: 1233-1243.

Guivier, E., Galan, M., Chaval, Y., Xuéreb, A., Ribas-Salvador, A., Poulle, M.-L., Voutilainen, L., Henttonen, H., Charbonnel, N. & Cosson, J.F. Landscape genetics highlights the role of bank vole metapopulation dynamics in the epidemiology of Puumala hantavirus. *Molecular Ecology* 20: 3569-3583.

Haapanen, R., Aro, L., Koivunen, S., Lahdenperä, A.-M., Kirkkala, T., Paloheimo, A. & Ikonen, A. Selection of real-life analogues for future lakes and mires at a repository site. *Radioprotection* 46(6): S647-651.

Hamberg, L., Malmivaara-Lämsä, M., Löfström, I., Vartiamäki, H., Valkonen, S. & Hantula, J. Sprouting of *Populus tremula* L. in spruce regeneration areas following alternative treatments. *European Journal of Forest Research* 130: 99-106.

Hamberg, L., Vartiamäki, H., Malmivaara-Lämsä, M., Löfström, I., Valkonen, S., & Hantula, J. Short-term effects of mechanical and biological treatments on *Sorbus aucuparia* L. sprouting in mesic forests in Finland. *Scandinavian Journal of Forest Research* 26(6): 505-514.

Harmens, H. et al. (27 authors, from FFRI Kubin, E. & Poikolainen, J.). Nitrogen concentrations in mosses indicate the spatial distribution of atmospheric nitrogen deposition in Europe. *Environmental Pollution* 159: 2852-2860.

Haukisalmi, V., Lavikainen, A., Laaksonen, S. & Meri, S. *Taenia arctos* n. sp. (Cestoda: Cyclophyllidae: Taeniidae) from its definitive (brown bear *Ursus arctos* Linnaeus) and intermediate (moose/elk *Alces* spp.) hosts. *Systematic Parasitology* 80: 217-230.

Hautala, H., Laaka-Lindberg, S. & Vanha-Majamaa, I. Effects of retention felling on Epixylic species in boreal spruce forests in Southern Finland. *Restoration Ecology* 19(3): 418-429.

Helle, S., Huhta, E., Suorsa, P. & Hakkarainen, H. Fluctuating asymmetry as a biomarker of habitat fragmentation in an area-sensitive passerine, the Eurasian treecreeper (*Certhia familiaris*). *Ecological Indicators* 11(3): 861-867.

Helmisaari, H.-S., Hanssen, K., Jacobson, S., Kukkola, M., Luiro, J., Saarsalmi, A., Tamminen, P. & Tveite, B. Logging residue removal after thinning in Nordic boreal forests: Long-term impact on tree growth. *Forest Ecology and Management* 261: 1919-1927.

Hokajärvi, R., Hujala, T. & Tikkanen, J. Change in forest planner's advisory role. *Scandinavian Journal of Forest Research* 26(5): 466-476.

Hordo, M., Henttonen, H.M., Mäkinen, H., Helama, S. & Kiviste, A. Annual growth variation of Scots pine in Estonia and Finland. *Baltic Forestry* 17(1): 35-49.

Huotari, J., Ojala, A., Peltomaa, E., Nordbo, A., Launiainen, S., Pumpanen, J., Rasilo, T., Hari, P. & Vesala, T. Long-term direct CO<sub>2</sub> flux measurements over a boreal lake: Five years of eddy covariance data. *Geophysical Research Letters* 38. 5 p.

Huotari, N., Tillman-Sutela, E. & Kubin, E. Ground vegetation has a major role in element dynamics in an ash-fertilized cut-away peatland. *Forest Ecology and Management* 261: 2081-2088.

Hynninen, A., Fritze, H., Sarkkola, S., Kitunen, V., Nousiainen, H., Silvan, N., Laine, J., Tervahauta, A. & Nieminen, M. N<sub>2</sub>O fluxes from peatland buffer areas after high N loadings in five forested catchments in Finland. *Wetlands* 31(6): 1067-1077.

Hynninen, A., Hamberg, L., Nousiainen, H., Korpela, L. & Nieminen, M. Vegetation composition dynamics in peatlands used as buffer areas in forested catchments in southern and central Finland. *Plant Ecology* 212(11): 1803-1818.

Hynninen, A., Sarkkola, S., Laurén, A., Koivusalo, H. & Nieminen, M. Capacity of riparian buffer areas to reduce ammonium export originating from ditch network maintenance areas in peatlands drained for forestry. *Boreal Environment Research* 16(5): 430-440.

Hynynen, J., Repola, J. & Mielikäinen, K. The effects of species mixture on the growth and yield of mid-rotation mixed stands of Scots pine and silver birch. *Forest Ecology and Management* 262(7): 1174-1183.

Hyppönen, M. & Hallikainen, V. Factors affecting the success of autumn direct seeding of *Pinus sylvestris* L. in Finnish Lapland. *Scandinavian Journal of Forest Research* 26(6): 515-529.

Hytönen, J. & Jylhä, P. Long-term response of weed control intensity on Scots pine survival, and growth and nutrition on former arable land. *European Journal of Forest Research* 130: 91-98.

Hyvönen, P., Heinonen, J. & Haara, A. Change detection using bi-temporal aerial photographs and registration at the stand level. *European Journal of Forest Research* 130(4): 637-647.

Häkkinen, M., Heikkinen, J. & Mäkipää, R. Soil carbon stock increases in the organic layer of boreal middle-aged stands. *Biogeosciences* 8: 1279-1289.

Härkönen, S., Lehtonen, A., Eerikäinen, K., Peltoniemi, M. & Mäkelä, A. Estimating forest carbon fluxes for large regions based on process-based modelling, NFI data and Landsat satellite images. *Forest Ecology and Management* 262(12): 2364-2377.

Hökkä, H., Hyttinen, H., Marttila, H., Jämsen, J. & Kløve, B. Effect of peak runoff control method on growth of Scots pine stands on drained peatlands in central Finland. *Silva Fennica* 45(3): 331-339.

Jokela, A., Sarjala, T., Manninen, S. & Huttunen, S. Effect of ozone exposure on polyamines in Scots pine trees. *Environmental and Experimental Botany* 72: 448-454.

Juutinen, A., Mitani, Y., Mäntymaa, E., Shoji, Y., Siikamäki, P. & Svento, R. Combining ecological and recreational aspects in national park management: A choice experiment application. *Ecological Economics* 70: 1231-1239.

Kaitera, J. & Hiltunen, R. Susceptibility of *Pedicularis* spp. to *Cronartium ribicola* and *C. flaccidum* in Finland. *Forest Pathology* 41(3): 237-242.

Kaitera, J., Hantula, J. & Nevalainen, S. Distribution and frequency of *Cronartium flaccidum* on *Melampyrum* spp. in permanent sample plots in Finland. *Scandinavian Journal of Forest Research* 26(5): 413-420.

Kallio, A.M.I., Anttila, P., McCormick, M. & Asikainen, A. Are the Finnish targets for the energy use of forest chips realistic - Assessment with a spatial market model. *Journal of Forest Economics* 17(2): 110-126.

Kangas, H.-L., Lintunen, J., Pohjola, J., Hetemäki, L. & Uusivuori, J. Investments into forest biorefineries under different price and policy structures. *Energy Economics* 33: 1165-1176.

Karhu, K., Wall, A., Vanhala, P., Liski, J., Esala, M. & Regina, K. Effects of afforestation and deforestation on boreal soil carbon stocks - Comparison of measured C stocks with Yasso07 model results. *Geoderma* 164: 33-45.

Kasanen, R., Sun, H., Huuskonen, S., Terhonen, E. & Uotila, A. High infection rate of residual conifer stumps by *Heterobasidion* species in an area with assumed low infection pressure. *Scandinavian Journal of Forest Research* 26(5): 404-412.

Kataja-aho, S., Fritze, H. & Haimi, J. Short-term responses of soil decomposer community and vegetation to stump harvesting. *Forest Ecology and Management* 262: 379-388.

Kataja-aho, S., Saari, E., Fritze, H. & Haimi, J. Effects of stump removal on soil decomposer community in undisturbed forest floor after clear felling. *Scandinavian Journal of Forest Research* 26(3): 221-231.

Ketola, R.A., Kiuru, J.T., Kotiaho, T., Kitunen, V. & Smolander, A. Feasibility of membrane inlet mass spectrometry for on-site screening of volatile monoterpenes and monoterpene alcohols in forest soil atmosphere. *Boreal Environment Research* 16: 36-46.

Kiikkilä, O., Kitunen, V. & Smolander, A. Properties of dissolved organic matter derived from silver birch and Norway spruce stands: Degradability combined with chemical characteristics. *Soil Biology & Biochemistry* 43: 421-430.

Kilpeläinen, H., Lindblad, J., Heräjärvi, H. & Verkasalo, E. Saw log recovery and stem quality of birch from thinnings in southern Finland. *Silva Fennica* 45(2): 267-282.

Kilpeläinen, J., Niemelä, P. & Kuuluvainen, T. A review of the study of Oinonen (1956) on ants on rocks and their contribution to forest regeneration in Southern Finland. *Scandinavian Journal of Forest Research* 26(1): 72-80.

Kinnunen, P.M., Henttonen, H., Hoffman, B., Kallio, E.R., Korthase, C., Laakkonen, J., Niemimaa, J., Palva, A., Schlegel, M., Ali, H.A., Suominen, P., Ulrich, R.G., Vaheri, A. & Vapalahti, O. Orthopox virus infections in Eurasian wild rodents. *Vector Borne and Zoonotic Diseases* 11: 1133-1140.

Koivula, M.J. Useful model organisms, indicators, or both? Ground beetles (Coleoptera, Carabidae) reflecting environmental conditions. *ZooKeys* 4(100): 287-317.

Koivusalo, H., Hökkä, H. & Lauren, A. A small catchment scale approach for modelling effects of forest management on water cycle in boreal landscape. In: Bredemeier, M. Cohen, S., Godbold, D.L., Lode, E., Pichler, V. & Schleppei, P. (eds.). *Forest Management and the Water Cycle - An Ecosystem-Based Approach*. Springer Verlag, p. 419-434.

Korpela, K. Sex influences rat personality more than geographical origin. *Applied Animal Behaviour Science* 133: 95-100.

Korpela, M., Nöjd, P., Hollmén, J., Mäkinen, H., Sulkava, M. & Hari, P. Photosynthesis, temperature and radial growth of Scots pine in northern Finland: identifying the influential time intervals. *Trees - Structure and Function* 25: 323-332.

Kotze, D.J., Brandmayr, P., Casale, A., Dauffy-Richard, E., Dekoninck, W., Koivula, M.J., Lövei, G.L., Mossakowski, D., Noordijk, J., Paarmann, W., Pizzolotto, R., Saska, P., Schwerk, A., Serrano, J., Szyszko, J., Taboada, A., Turin, H., Venn, S., Vermeulen, R. & Zetto, T. Forty years of carabid beetle research in Europe - from taxonomy, biology, ecology and population studies to bioindication, habitat assessment and conservation. *ZooKeys* 4(100): 55-148.

Krajnakova, J., Sutela, S., Aronen, T., Gömöry, D., Vianello, A. & Häggman, H. Long-term cryopreservation of Greek fir embryonic cell lines: Recovery, maturation and genetic fidelity. *Cryobiology* 63: 17-25.

Kulmala, L., Pumpanen, J., Kolari, P., Muukkonen, P., Hari, P. & Vesala, T. Photosynthetic production of ground vegetation in different-aged Scots pine (*Pinus sylvestris*) forests. *Canadian Journal of Forest Research* 41(10): 2020-2030.

Kumpula, J., Stark, S. & Holand, O. Seasonal grazing effects by semi-domesticated reindeer on subarctic mountain birch forests. *Polar Biology* 34: 441-453.

Kytöviita, M.-M., Pietikäinen, A. & Fritze, H. Plant and soil responses to absence of plant cover and monoculturing in low arctic meadows. *Applied Soil Ecology* 48: 142-151.

Kärhä, K., Jylhä, P. & Laitila, J. Integrated procurement of pulpwood and energy wood from early thinnings using whole-tree bundling. *Biomass & Bioenergy* 35(8): 3389-3396.

Kärkkäinen, L., Nuutinen, T., Hirvelä, H. & Mäkelä, H. Effects of administrative land-use and technical land-form constraints on timber production at the landscape level. *Scandinavian Journal of Forest Research* 26(2): 120-127.

Laine, A.M., Leppälä, M., Tarvainen, O., Päätaalo, M.-L., Seppänen, R. & Tolvanen, A. Restoration of managed pine fens: effect on hydrology and vegetation. *Applied Vegetation Science* 14: 340-349.

Launiainen, S., Katul, G.G., Kolari, P., Vesala T. & Hari, P. Empirical and optimal stomatal controls on leaf and ecosystem level CO<sub>2</sub> and H<sub>2</sub>O exchange rates. *Agricultural and Forest Meteorology* 151: 1672-1689.

Lehikoinen, A., Ranta, E.S., Pietiäinen, H., Byholm, P., Saurola, P., Valkama, J., Huitu, O., Henttonen, H. & Korpimäki, E. The impact of climate and cyclic food abundance on the timing of breeding and brood size in four boreal owl species. *Oecologia* 165(1): 349-355.

Lehtonen, J., Heiska, S., Pajari, M., Tegelberg, R. & Saarenmaa, H. The process of digitising natural history collection specimens at Digitalium. In: Jones, M.B. & Gries, C. (eds.). *Proceedings of the Environmental Information Management Conference 2011 (EIM 2011)*. University of California, CA, USA. p. 87-91.

Leppänen, K., Spetz, P., Pranovich, A., Hartonen, K., Kitunen, V. & Ilvesniemi, H. Pressurized hot water extraction of Norway spruce hemicelluloses using a flow-through system. *Wood Science and Technology* 45(2): 223-236.

Lilja, A., Rytönen, A., Hantula, J., Müller, M., Parikka, P. & Kurkela, T. Introduced pathogens found on ornamentals, strawberry and trees in Finland over the past 20 years. *Agricultural and Food Science* 20: 74-85.

Lindholm, M., Jalkanen, R., Salminen, H., Aalto, T. & Ogurtsov, M. The height-increment record of summer temperature extended over the last millennium in Fennoscandia. *Holocene* 21(2): 319-326.

Lindroos, A.-J., Derome, J., Derome, K. & Smolander, A. The effect of Scots pine, Norway spruce and silver birch on the chemical composition of stand throughfall and upper soil percolation water in northern Finland. *Boreal Environment Research* 16: 240-250.

Lindén, A., Lehikoinen, A., Hokkanen, T. & Väisänen, R.A. Modelling irruptions and population dynamics of the great spotted woodpecker - joint effects of density and cone crops. *Oikos* 120: 1065-1075.

Lintunen, A., Sievänen, R., Kaitaniemi, P. & Perttunen, J. Models of 3D crown structure for Scots pine (*Pinus sylvestris*) and silver birch (*Betula pendula*) grown in mixed forest. *Canadian Journal of Forest Research* 41(9): 1779-1794.

Loader, N., Jalkanen, R., McCarroll, D. & Moberg, A. Spring temperature variability in Northern Fennoscandia AD1693-2011. *Journal of Quaternary Science* 26(6): 566-570.

Lohila, A., Minkkinen, K., Aurela, M., Tuovinen, J.-P., Penttilä, T. & Laurila, T. Greenhouse gas flux measurements in a forestry-drained peatland indicate a large carbon sink. *Biogeosciences* 8: 3203-3218.



- Lu, J., Aronen, T., Pappinen, A. & Asiegbu, F.O. Response of somatic embryos of Scots pine to fungal cell wall elicitors. *Forest Pathology* 41: 75-82.
- Lu, M., Nygren, P., Perttunen, J., Pallardy, S.G. & Larsen, D.R. Application of the functional-structural tree model LIGNUM to growth simulation of short-rotation eastern cottonwood. *Silva Fennica* 45(3): 431-474.
- Luchi, N., Paffetti, D., Korhonen, K., Hantula, J. & Capretti, P. Genetic variation of *Heterobasidion abietinum* population in Southern Europe and the Mediterranean basin. *Forest Pathology* 41(4): 270-280.
- Luoranen, J. & Rikala, R. Nutrient loading of Norway spruce seedlings hastens bud burst and enhances root growth after outplanting. *Silva Fennica* 45(3): 319-329.
- Luoranen, J., Rikala, R. & Smolander, H. Machine planting of Norway spruce by Bracke and Ecoplanter: An evaluation of soil preparation, planting method and seedling performance. *Silva Fennica* 45(3): 341-357.
- Luostarinen, K. & Heräjärvi, H. Dependence of shear strength on wood properties in cultivated *Larix sibirica*. *Wood Material Science and Engineering* 6(4): 177-184.
- Makita, N., Hirano, Y., Mizoguchi, T., Kominami, Y., Dannoura, M., Ishii, H., Finér, L. & Kanazawa, Y. Very fine roots respond to soil depth: biomass allocation, morphology, and physiology in a broad-leaved temperate forest. *Ecological Research* 26: 95-104.
- Manninen, O.H., Stark, S., Kytöviita, M.-M. & Tolvanen, A. Individual and combined effects of disturbance and N addition on understorey vegetation in a subarctic mountain birch forest. *Journal of Vegetation Science* 22: 262-272.
- Martz, F., Turunen, M., Julkunen-Tiitto, R., Suokanerva, H. & Sutinen, M.-L. Different response of two reindeer forage plants to enhanced UV-B radiation: modification of the phenolic composition. *Polar Biology* 34: 411-420.
- McCarroll, D., Tuovinen, M., Campbell, R., Gagen, M., Grudd, H., Jalkanen, R., Loader, N. & Robertson, I. A critical evaluation of multi-proxy dendroclimatology in northern Finland. *Journal of Quaternary Science* 26(1): 7-14.
- McRoberts, R.E., Magnussen, S., Tomppo, E.O. & Chirici, G. Parametric, bootstrap, and jackknife variance estimators for the k-Nearest Neighbors technique with illustrations using forest inventory and satellite image data. *Remote Sensing of Environment* 115: 3165-3174.
- Mgbeahuruike, A., Sun, H., Fransson, P., Kasanen, R., Daniel, G., Karlsson, M. & Asiegbu, F. Differential screening of *Phlebiopsis gigantea* isolates for traits associated with biocontrol of the conifer pathogen *Heterobasidion annosum*. *Biological Control* 2011: 118-129.
- Moiseyev, A., Solberg, B., Kallio, A.M.I. & Lindner, M. An economic analysis of the potential contribution of forest biomass to the EU RES target and its implications for the EU forest industries. *Journal of Forest Economics* 17(2): 197-213.

Mustajoki, J., Saarikoski, H., Marttunen, M., Ahtikoski, A., Hallikainen, V., Helle, T., Hyppönen, M., Jokinen, M., Naskali, A., Tuulentie, S., Varmola, M., Vatanen, E. & Ylisirniö, A.-L. Use of decision analysis interviews to support the sustainable use of the forests in Finnish Upper Lapland. *Journal of Environmental Management* 92: 1550-1563.

Myllyviita, T., Hujala, T., Kangas, A. & Leskinen, P. Decision support in assessing the sustainable use of forests and other natural resources - a comparative review. *The Open Forest Science Journal* 4(1): 24-41.

Mäenpää, M., Riikonen, J., Kontunen-Soppela, S., Rousi, M. & Oksanen, E. Vertical profiles reveal impact of ozone and temperature on carbon assimilation of *Betula pendula* and *Populus tremula*. *Tree Physiology* 31: 808-818.

Mäkelä, H., Hirvelä, H., Nuutinen, T. & Kärkkäinen, L. Estimating forest data for analyses of forest production and utilization possibilities at local level by means of multi-source national forest inventory. *Forest Ecology and Management* 262(8): 1345-1359.

Mäkelä, M., Lintunen, J., Kangas, H.-L. & Uusivuori, J. Pellet promotion in the Finnish sawmilling industry: The cost-effectiveness of different policy instruments. *Journal of Forest Economics* 17(2): 185-196.

Mäkipää, R. & Linkosalo, T. A non-destructive field method for measuring wood density of decaying logs. *Silva Fennica* 45(5): 1135-1142.

Mäkipää, R., Linkosalo, T., Niinimäki, S., Komarov, A., Bykhovets, S., Tahvonen, O. & Mäkelä, A. How forest management and climate change affect the carbon sequestration of a Norway spruce stand. *Journal of Forest Planning* 16: 107-120.

Männistö, M.K., Rawat, S., Starovoytov, V. & Häggblom, M.M. *Terriglobus saanensis* sp. nov., an acidobacterium isolated from tundra soil. *International Journal of Systematic and Evolutionary Microbiology* 61(8): 1823-1828.

Mönkkönen, M., Reunanen, P., Kotiaho, J., Juutinen, A., Tikkanen, O.-P. & Kouki, J. Cost-effective strategies to conserve boreal forest biodiversity and long-term landscape-level maintenance of habitats. *European Journal of Forest Research* 130(5): 717-727.

Möttönen, V. & Kärki, T. Discoloration and liquid water flow in birch (*Betula pendula* Roth) lumber during drying at different temperatures. In: Buehlmann, U. (ed.). *Proceedings of the 3rd International Scientific Conference on Hardwood Processing (ISCHP32011) I: Peer reviewed contributions*. October 16-18, 2011, Blacksburg, Virginia, USA. p. 115-122.

Nieminen, M., Laurén, A., Hökkä, H., Sarkkola, S., Koivusalo, H. & Pennanen, T. Recycled iron phosphate as a fertilizer raw material for tree stands on drained boreal peatlands. *Forest Ecology and Management* 261: 105-110.

Niinistö, S.M., Kellomäki, S. & Silvola, J. Seasonality in a boreal forest ecosystem affects the use of soil temperature and moisture as predictors of soil CO<sub>2</sub> efflux. In: Subke, J.-A., Khomik, M., Carbone, M., Stoy, P. & Bahn, M. (eds.). Special Issue: Biotic interactions and biogeochemical processes in the soil environment. *Biogeosciences* 8: 3169-3186.

Nikula, S., Manninen, S. & Pulkkinen, P. Growth and frost hardening of European aspen and backcross hybrid aspen as influenced by water and nitrogen. *Annals of Forest Science* 68(4): 737-745.

Nikula, S., Manninen, S., Vapaavuori, E. & Pulkkinen, P. Growth, leaf traits and litter decomposition of roadside hybrid aspen (*Populus tremula* L. x *P. tremuloides* Michx.) clones. *Environmental Pollution* 159: 1823-1830.

Nilsson, R.H., Tedersoo, L., Lindahl, B., Kjølner, R., Carlsen, T., Quince C., Abarenkov, K., Pennanen, T., Stenlid, J., Bruns, T., Larsson, K.-H., Kõljalg, U. & Kauserud, H. Towards standardization of the description and publication of next-generation sequencing datasets of fungal communities. *New Phytologist* 191: 314-319.

Niskanen, A.-M., Kärkkäinen, K. & Pasonen, H. Comparison of variation in adaptive traits between wild-type and transgenic silver birch (*Betula pendula*) in a field trial. *Tree Genetics and Genomes* 7(5): 955-967.

Nordbo, A., Launiainen, S., Mammarella, I., Huotari, J., Ojala, A. & Vesala, T. Long-term energy flux measurements and energy balance over a small boreal lake using eddy covariance technique. *Journal of Geophysical Research - Atmosphere* 116: 1-17.

Nurmi, J. & Lehtimäki, J. Energy wood harvesting productivity of three harvesting methods in first thinning of scots pine (*Pinus sylvestris* L.). *Biomass & Bioenergy* 35(8): 3383-3388.

Nurmi, J. & Lehtimäki, J. Debarking and drying of downy birch (*Betula pubescence*) and Scots pine (*Pinus sylvestris*) fuelwood in conjunction with multi-tree harvesting. *Biomass & Bioenergy* 35(8): 3376-3382.

Nuutinen, T., Anola-Pukkila, A., Hirvelä, H., Kärkkäinen, L. & Mäkelä, H. Information and communication technology connecting mathematical modelling with multipurpose forest management. *Journal of Forest Planning* 16: 91-98.

Nuutinen, T., Berger, F., Karjalainen, A., Lempinen, R., Maltamo, M. & Siitonen, M. Request-driven generation of calculation chains for adaptive forest analysis. *Scandinavian Journal of Forest Research* 26(1): 2-10.

Nuutinen, Y., Kärhä, K., Laitila, J., Jylhä, P. & Keskinen, S. Productivity of whole-tree bundler in energy wood and pulpwood harvesting from early thinnings. *Scandinavian Journal of Forest Research* 26: 329-338.

Närhi, P., Middleton, M., Gustavsson, N., Hyvönen, E., Sutinen, M.-L. & Sutinen, R. Importance of soil calcium for composition of understory vegetation in boreal forests of Finnish Lapland. *Biogeochemistry* 102: 239-249.

- Ogurtsov, M. & Lindholm, M. Statistical effects in the solar activity cycles during AD 1823-1996. *ISRN Astronomy and Astrophysics* 2011. 7 p.
- Ogurtsov, M., Jungner, H., Helama, S., Lindholm, M. & Oinonen, M. Paleoclimatological evidence for unprecedented recent temperature rise at the extratropical part of the northern hemisphere. *Geografiska Annaler* 93(1): 17-26.
- Olofsson, J., Ericson, L., Torp, M., Stark, S. & Baxter, R. Carbon fluxes under climate change influenced by disease mediated vegetation shifts. *Nature Climate Change* 1: 220-223.
- Ostonen, I., Helmisaari, H.-S., Borcken, W., Tedersoo, L., Kukumägi, M., Bahram, M., Lindroos, A.-J., Nöjd, P., Uri, V., Merilä, P., Asi, E. & Löhmus, K. Fine root foraging strategies in Norway spruce forests across a European climate gradient. *Global Change Biology* 17(12): 3620-3632.
- Paajanen, R., Julkunen-Tiitto, R., Nybakken, L., Petrelius, M., Tegelberg, R., Pusenius, J., Rousi, M. & Kellomäki, S. Dark-leaved willow (*Salix myrsinifolia*) is resistant to three-factor (elevated CO<sub>2</sub>, temperature and UV-B-radiation) climate change. *New Phytologist* 190(1): 161-168.
- Partanen, J., Harju, A.M., Venäläinen, M. & Kärkkäinen, K. Highly heritable heartwood properties of Scots pine: possibilities for selective seed harvest in seed orchards. *Canadian Journal of Forest Research* 41(10): 1993-2000.
- Parviainen, J. & Schuck, A. Criterion 5: Maintenance and appropriate enhancement of protective functions in forest management. In: *State of Europe's Forests 2011. Status and Trends on Sustainable Forest Management in Europe*. FOREST EUROPE, UNECE and FAO, p. 99-105.
- Parviainen, J., Schuck, J., Bozzano, M., Estreguil, C., Koskela, J., Lier, M., Spielmann, M. & Van Brusselen, J. Criterion 4: Maintenance, conservation and appropriate enhancement of biological diversity in forest ecosystems. In: *State of Europe's Forests 2011. Status and Trends on Sustainable Forest Management in Europe*. FOREST EUROPE, UNECE and FAO, p. 65-97.
- Pearson, M., Saarinen, M., Minkkinen, K., Silvan, N. & Laine, J. Mounding and scalping prior to reforestation of hydrologically sensitive deep-peated sites: factors behind Scots pine regeneration success. *Silva Fennica* 45(4): 647-667.
- Peltola, S., Kilpeläinen, H. & Asikainen, A. Recovery rates of logging residue harvesting in Norway spruce (*Picea abies* (L.) Karsten) dominated stands. *Biomass & Bioenergy* 35: 1545-1551.
- Penttinen, M., Rummukainen, A. & Mikkola, J. Profitability, liquidity and solvency of wood harvesting contractors in Finland. *Small-scale Forestry* 10(2): 211-229.
- Piippo, S., Huhta, A.-P., Rautio, P., Markkola, A. & Tuomi, J. Grazing tolerance and mycorrhizal colonization: Effects of resource manipulation and plant size in biennial *Gentianella campestris*. *Flora* 206: 808-813.

Piispanen, R., Valkonen, S., Lundqvist, S.-O. & Saranpää, P. Wood properties in uneven-aged Norway spruce forests: a case study in five stands in southern Finland. In: Kudela, J. & Lagana, R. (eds.). Proceedings of the 6th IUFRO Symposium Wood Structure and Properties '10, held on September 6-9, 2010 in Podbanske, High Tatras, Slovakia. Arbora Publishers, Zvolen, Slovakia. p. 165-168.

Plyusnina, A., Cvetko Krajinovic, L., Margaletic, J., Niemimaa, J., Nemirov, K., Lundkvist, Å., Markotic, A., Miletic-Medved, M., Avsic-Zupanc, T., Henttonen, H. & Plyusnin, A. Genetic evidence for the presence of two distinct hantaviruses associated with Apodemus mice in Croatia and analysis of local strains. *Journal of Medical Virology* 83(1): 108-114.

Possen, B.J.H.M., Oksanen, E., Rousi, M., Ruhanen, H., Ahonen, V., Tervahauta, A., Heinonen, J., Heiskanen, J., Kärenlampi, S. & Vapaavuori, E. Adaptability of birch (*Betula pendula* Roth) and aspen (*Populus tremula* L.) genotypes to different soil moisture conditions. *Forest Ecology and Management* 262: 1387-1399.

Pouta, E., Myyrä, S. & Hänninen, H. Farm landowners' objectives in Finland: Two approaches for owner classifications. *Society and Natural Resources* 24(10): 1042-1062.

Pukkala, T., Lähde, E., Laiho, O., Salo, K. & Hotanen, J.-P. A multifunctional comparison of even-aged and uneven-aged forest management in a boreal region. *Canadian Journal of Forest Research* 41: 851-862.

Pulkkinen, P., Varis, S., Jaatinen, R., Leppänen, A. & Pakkanen, A. Increasing survival and growth of Scots pine seedlings with selection based on autumn coloration. *Silva Fennica* 45(4): 573-581.

Rajala, T., Peltoniemi, M., Hantula, J., Mäkipää, R. & Pennanen, T. RNA reveals a succession of active fungi during the decay of Norway spruce logs. *Fungal Ecology* 4(6): 437-448.

Repo, T., Roitto, M. & Sutinen, S. Does the removal of snowpack and the consequent changes in soil frost affect the physiology of Norway spruce needles? *Environmental and Experimental Botany* 72: 387-396.

Rousi, M., Heinonen, J. & Neuvonen, S. Intrapopulation variation in flowering phenology and fecundity of silver birch, implications for adaptability to changing climate. *Forest Ecology and Management* 262: 2378-2385.

Routa, J., Kellomäki, S., Kilpeläinen, A., Peltola, H. & Strandman, H. Effects of forest management on the carbon dioxide emissions of wood energy in integrated production of timber and energy biomass. *Global Change Biology Bioenergy* 3: 483-497.

Routa, J., Kellomäki, S., Peltola, H. & Asikainen, A. Impacts of thinning and fertilization on timber and energy wood production in Norway spruce and Scots pine: scenario analyses based on ecosystem model simulations. *Forestry* 84: 159-175.

Rytkönen, A., Lilja, A., Drenkhan, R., Gaitnieks, T. & Hantula, J. First record of *Chalara fraxinea* in Finland and genetic variation among isolates sampled from Åland, mainland Finland, Estonia and Latvia. *Forest Pathology* 41(3): 169-174.

Räisänen, T. & Nurmi, J. Impacts of changing the minimum diameter of roundwood on the accumulation of logging residue in first thinnings of Scots pine and Norway spruce. *Biomass & Bioenergy* 35: 2674-2682.

Räty, M., Heikkinen, J. & Kangas, A. Kriging with external drift in model localization. *Mathematical and Computational Forestry & Natural-Resource Sciences* 3(1): 1-14.

Röser, D., Mola-Yudego, B., Sikanen, L., Prinz, R., Gritten, D., Emer, B., Väätäinen, K. & Erkkilä, A. Natural drying treatments during seasonal storage of wood for bioenergy in different European locations. *Biomass & Bioenergy* 35(10): 4238-4247.

Saari, H., Pellikka, I., Pesonen, L., Tuominen, S., Heikkilä, J., Holmlund, C., Mäkynen, J., Ojala, K. & Antila, T. Unmanned Aerial Vehicle (UAV) operated spectral camera system for forest and agriculture applications. *Proceedings of SPIE* 8174(81740H). 15 p.

Saarsalmi, A., Tamminen, P., Kukkola, M. & Levula, T. Effects of liming on chemical properties of soil, needle nutrients and growth of Scots pine transplants. *Forest Ecology and Management* 262: 278-285.

Saksa, T. & Valkonen, S. Dynamics of seedling establishment and survival in uneven-aged boreal forests. *Forest Ecology and Management* 261(8): 1409-1414.

Salvador, A.R., Guivier, E., Xuéreb, A., Chaval, Y., Cadet, P., Poulle, M.-L., Sironen, T., Voutilainen, L., Henttonen, H., Cosson, J.-F., & Charbonnel, N. Concomitant influence of helminth infection and landscape on the distribution of Puumala hantavirus in its reservoir, *Myodes glareolus*. *BMC Microbiology* 2011. 13 p.

Saravesi, K., Markkola, A., Rautio, P. & Tuomi, J. Simulated mammal browsing and host gender effects on dual mycorrhizal *Salix repens*. *Botany* 89: 35-42.

Savolainen, O., Kujala, S.T., Sokol, C., Pyhäjärvi, T., Avia, K., Knürr, T., Kärkkäinen, K. & Hicks, S. Adaptive potential of northernmost tree populations to climate change, with emphasis on Scots pine (*Pinus sylvestris* L.). *Journal of Heredity* 102(5): 526-536.

Selby, A., Petäjistö, L. & Huhtala, M. The realisation of tourism business opportunities adjacent to three national parks in southern Finland: entrepreneurs and local decision-makers matter. *Forest Policy and Economics* 13(6): 446-455.

Seo, J.-W., Eckstein, D., Jalkanen, R. & Schmitt, U. Climatic control of intra- and inter-annual wood-formation dynamics of Scots pine in northern Finland. *Environmental and Experimental Botany* 72: 422-431.

Shorohova, E., Kneeshaw, D., Kuuluvainen, T. & Gauthier, S. Variability and dynamics of old-growth forests in the circumboreal zone: implications for conservation, restoration and management. *Silva Fennica* 45(5): 785-806.

Shumilov, O.I., Kasatkina, E.A., Mielikäinen, K.J., Timonen, M.I. & Kanatjev, A.G. Palaeovolcanos, Solar activity and pine tree-rings from the Kola Peninsula (northwestern Russia) over the last 560 years. *International Journal of Environmental Research* 5(4): 855-864.

Sievänen, T., Neuvonen, M. & Pouta, E. National Park visitor segments and their interest in rural tourism services and intention to revisit. *Scandinavian Journal of Hospitality and Tourism* 11, Suppl.: 54-73.

Siipilehto, J. Local prediction of stand structure using linear prediction theory in Scots pine-dominated stands in Finland. *Silva Fennica* 45(4): 669-692.

Silfverberg, K., Issakainen, J. & Moilanen, M. Growth and nutrition of Scots pine on drained and fertilized purple moor grass fens in Central Finland. *Baltic Forestry* 17(1): 91-101.

Sirkiä, S., Nikula, A., Helle, P., Lindén, H., Norrdahl, K., Suorsa, P. & Valkeajärvi, P. Contemporary mature forest cover does not explain the persistence of Capercaillie (*Tetrao urogallus*) lekking areas in Finland. *Ornis Fennica* 88(4): 208-216.

Smolander, A. & Kitunen, V. Comparison of tree species effects on microbial C and N transformations and dissolved organic matter properties in the organic layer of boreal forests. *Applied Soil Ecology* 49: 224-233.

Snajdr, J., Cajthaml, T., Valásková, V., Merhautová, V., Petránková, M., Spetz, P., Leppänen, K. & Baldrian, P. Transformation of *Quercus petraea* litter: Successive changes in litter chemistry are reflected in differential enzyme activity and changes in the microbial community composition. *FEMS Microbiology Ecology* 75: 291-303.

Solheim, H. & Vuorinen, M. First report of *Mycosphaerella pini* causing red band needle blight on Scots Pine in Norway. *Plant Disease* 95(7): 875.

Straková, P., Niemi, R.M., Freeman, C., Peltoniemi, K., Toberman, H., Heiskanen, I., Fritze, H. & Laiho, R. Litter type affects the activity of aerobic decomposers in a boreal peatland more than site nutrient and water table regimes. *Biogeosciences* 8(9): 2741-2755.

Surakka, H., Sirén, M., Heikkinen, J. & Valkonen, S. Damage to saplings in mechanized selection cutting in uneven-aged Norway spruce stands. *Scandinavian Journal of Forest Research* 26(3): 232-244.

Sutinen, R., Kuoppamaa, M., Hänninen, P., Middleton, M., Närhi, P., Vartiainen, S. & Sutinen, M.-L. Tree species distribution on mafic and felsic fells in Finnish Lapland. *Scandinavian Journal of Forest Research* 26: 11-20.

Sutinen, R., Närhi, P., Middleton, M., Kuoppamaa, M., Juntunen, V., Hyvönen, E., Hänninen, P., Teirilä, A., Päänttjä, M., Neuvonen, S., Äikää, O., Piekkari, M., Timonen, M. & Sutinen, M.-L. Geological controls on subarctic conifer distribution. In: Nenonen, K. & Nurmi, P.A. (eds.). *Geoscience for Society, 125th Anniversary Volume*. Geological Survey of Finland, Special Paper 49: 315-325.

- Tahvanainen, T. & Anttila, P. Supply chain cost analysis of long-distance transportation of energy wood in Finland. *Biomass & Bioenergy* 35(8): 3360-3375.
- Tarvainen, O., Strömmer, R. & Markkola, A. Urban forest regeneration: Responses of Scots pine seedlings to partial humus removal in mid-boreal N-enriched forests. *Landscape and Urban Planning* 102(4): 209-214.
- Terhonen, E., Marco, T., Sun, H., Jalkanen, R., Kasanen, R., Vuorinen, M. & Asiegbu, F. The effect of latitude, season and needle age on the mycota of Scots pine (*Pinus sylvestris*) in Finland. *Silva Fennica* 45(3): 301-317.
- Tomppo, E., Heikkinen, J., Henttonen, H.M., Ihalainen, A., Katila, M., Mäkelä, H., Tuomainen, T. & Vainikainen, N. Designing and conducting a forest inventory - case: 9th National Forest Inventory of Finland. Springer, *Managing Forest Ecosystems* 22. 305 p.
- Tomppo, L., Tiitta, M., Laakso, T., Harju, A., Venäläinen, M. & Lappalainen, R. Study of stilbene and resin acid content of Scots pine heartwood by electrical impedance spectroscopy (EIS). *Holzforschung* 65(5): 643-649.
- Tonteri, E., Jääskeläinen, A.E., Tikkakoski, T., Voutilainen, L., Niemimaa, J., Henttonen, H., Vaheri, A. & Vapalahti, O. Persistence of tick-borne Encephalitis virus in wild rodents in winter, Finland. *Emerging Infectious Diseases* 17(1): 72-75.
- Tuominen, S. & Haapanen, R. Comparison of grid-based and segment-based estimation of forest attributes using airborne laser scanning and digital aerial imagery. In: Wagner, W. & Szekely, B. (eds.). *100 Years ISPRS - Advancing Remote Sensing Science*. Remote Sensing 3(5): 945-961.
- Turtiainen, M., Salo, K. & Saastamoinen, O. Variations of yield and utilisation of bilberries (*Vaccinium myrtillus* L.) and cowberries (*V. vitis-idaea* L.) in Finland. *Silva Fennica* 45(2): 237-251.
- Vaario, L.-M., Fritze, H., Spetz, P., Heinonsalo, J., Hanajík, P. & Pennanen, T. *Tricholoma matsutake* dominates diverse microbial communities in different forest soils. *Applied and Environmental Microbiology* 77(24): 8523-8531.
- Vaario, L.-M., Yrjälä, K., Rousi, M., Sipilä, T. & Pulkkinen, P. Leaf number indicates salt tolerance of young seedling families of European aspen (*Populus tremula* L.) growing in different soils. *Silva Fennica* 45(1): 19-33.
- Vainio, E., Keriö, S. & Hantula, J. Description of a new putative partitivirus infecting the conifer pathogenic fungus *Heterobasidion parviporum* with resemblance to *Heterobasidion annosum* P-type partitivirus. *Archives of Virology* 156(1): 79-86.
- Vainio, E.J., Hakanpää, J., Dai, Y.-C., Hansen, E., Korhonen, K. & Hantula, J. Species of *Heterobasidion* host a diverse pool of partitiviruses with global distribution and interspecies transmission. *Fungal Biology* 115: 1234-1243.



- Valkonen, S., Koskinen, K., Mäkinen, J. & Vanha-Majamaa, I. Natural regeneration in patch clear-cutting in *Picea abies* stands in Southern Finland. *Scandinavian Journal of Forest Research* 26(6): 530-542.
- Vanhala, P., Karhu, K., Tuomi, M., Björklöf, K., Fritze, H., Hyvärinen, H. & Liski, J. Warming climate alters the vegetation and soil microbiology but has no effect on temperature sensitivity of soil organic matter decomposition. *Global Change Biology* 17: 538-550.
- Varis, S., Reiniharju, J., Santanen, A., Ranta, H. & Pulkkinen, P. The size and germinability of Scots pine pollen in different temperatures in vitro. *Grana* 50: 129-135.
- Vehmas, M., Eerikäinen, K., Peuhkurinen, J., Packalén, P. & Maltamo, M. Airborne laser scanning for the site type identification of mature boreal forest stands. *Remote Sensing* 3(1): 100-116.
- Vehmas, M., Packalén, P., Maltamo, M. & Eerikäinen, K. Using airborne laser scanning data for detecting canopy gaps and their understory type in mature boreal forest. *Annals of Forest Science* 68(4): 825-835.
- Verkerk, P.J., Anttila, P., Eggers, J., Lindner, M. & Asikainen, A. The realisable potential supply of woody biomass from forests in the European Union. *Forest Ecology and Management* 261(11): 2007-2015.
- Vikanl, J.R., Fossøy, F., Huhta, E., Moksnes, A., Røskaft, E. & Stokke, B.G. Outcomes of brood parasite-host interactions mediated by egg matching: Common Cuckoos *Cuculus canorus* versus *Fringilla* finches. *PLoS ONE* 6(4): 13.
- Vuosku, J., Suokas, M., Kestilä, J., Sarjala, T. & Häggman, H. From seed to tree: The functioning and evolution of DNA repair in plants. In: Kruman, I. (ed.). *DNA Repair*. InTech, p. 383-398.
- Väätäinen, K., Sirparanta, E., Räisänen, M. & Tahvanainen, T. The costs and profitability of using granulated wood ash as a forest fertilizer in drained peatland forests. *Biomass & Bioenergy* 35(8): 3335-3341.
- Wall, A. & Hytönen, J. The long-term effects of logging residue removal on forest floor nutrient capital, foliar chemistry and growth of a Norway spruce stand. *Biomass & Bioenergy* 35: 3328-3334.
- Wan, M., Toppinen, A. & Hänninen, R. Econometric analysis of China's plywood market. *Forest Products Journal* 60(7/8): 679-687.
- Yrjälä, K., Tuomivirta, T., Juottonen, H., Putkinen, A., Lappi, K., Tuittila, E.-S., Penttilä, T., Minkkinen, K., Laine, J., Peltoniemi, K. & Fritze, H. CH<sub>4</sub> production and oxidation processes in a boreal fen ecosystem after long-term water table drawdown. *Global Change Biology* 17(3): 1311-1320.

## KANSALLISET REFEROIDUT JULKAISUT

Etula, H. & Store, R. Metsävaratiedon ajantasaistaminen tapahtuma- ja toimenpidetietojen avulla yksityismetsissä. *Metsätieteen aikakauskirja* 3/2011: 207-220.

Gerasimov, Y., Seliverstov, A., Sukhanov, Y. & Syunev, V. Major factors affecting process production planning of wood fuels from woody biomass. *Proceedings of Petrozavodsk State University. Natural & Engineering Sciences* 121(8): 77-80.

Gerasimov, Y., Sokolov, A. & Syunev, V. Optimization of industrial and fuel wood supply chain associated with cut-to-length harvesting. *Systems. Methods. Technologies* 11: 118-124.

Gerasimov, Y., Sokolov, A., Katarov, V. Development of a system for optimal design of a forest roads network. *Information Technology* 2011(1): 39-44.

Gerasimov, Y., Syunev, V., Sokolov, A., Seliverstov, A., Katarov, V., Sukhanov Y., Rozhin, D., Tyurlik, I. & Firsov, V. Rational energy use of wood-based biomass: Estimation of potentials. *Scientific Journal of the Kuban State Agrarian University* 73(9): 576-587.

Himanen, K. & Lilja, A. Havupuiden siementen laatua alentavat mikrobit ja niiden torjunta. *Metsätieteen aikakauskirja* 2/2011: 127-139.

Jylhä, P. Harvesting of undelimited Scots pine (*Pinus sylvestris* L.) from first thinnings for integrated production of kraft pulp and energy. *Dissertationes Forestales* 133. 73 s. + 4 osajulkaisua.

Laitila, J. & Väätäinen, K. Kokopuun ja rangan autokuljetus ja haketuottavuus. *Metsätieteen aikakauskirja* 2/2011: 107-126.

Launiainen, S. Canopy processes, fluxes and microclimate in a pine forest. *Doctoral Thesis. Report Series in Aerosol Science* 117. 55 s. + 7 osajulkaisua.

Rantala, J. & Kautto, K. Koneellinen kitkenta taimikon varhaisperkauksessa - työajanmenekki, kustannukset ja työpölyn laatu. *Metsätieteen aikakauskirja* 1/2011: 3-12.

Rossow, H., Siikamäki, H., Henttonen, H., Vapalahti, O. & Nikkari, S. Myyrätutkijan keuhkokuume. *Suomen Lääkärilehti* 66(32): 2257-2259.

Routa, J. Effects of forest management on sustainability of integrated timber and energy wood production - scenario analysis based on ecosystem model simulations. *Dissertationes Forestales* 123. 31 s. + 4 osajulkaisua.

Rummukainen, A., Tervo, L., Kautto, K. & Pulkkinen, M. Maanmuokkaus- ja kylvölaiteyhdistelmien vertailuja männyn kylvössä Kainuussa ja Pohjois-Pohjanmaalla. *Metsätieteen aikakauskirja* 1/2011: 13-33.

Saarinen, M. & Silver, T. Pääravinnesuhteet ja kaliumin riittävyys karujen rämeiden ojitusalueilla. *Suo - Mires and Peat* 62(1): 13-29.

Saksa, T. Kuusen istutustaimien menestyminen ja tukkimiehentäin tuhot eri tavoin muokatuilla uudistusaloilla. Metsätieteen aikakauskirja 2/2011: 91-105.

Siipilehto, J. Methods and applications for improving parameter prediction models for stand structures in Finland. Dissertationes Forestales 124. 56 s. + 5 osajulkaisua.

Sokolov, A. & Gerasimov, Y. Methodology of decision-making for wood harvesting optimization. Scientific Journal of the Kuban State Agrarian University 69(5): 320-334.

Sukhanov, Y., Gerasimov, Y., Seliverstov, A. & Sokolov, A. Technological chains and machine systems for collecting and processing woody biomass into fuel chips in clear-cutting harvesting by cut-to-length. Systems. Methods. Technologies 12(4): 101-107.